

KM 125/130 R G+KSSB

Our petrol-driven KM 125/130 R G+KSSB ride-on sweeper boasts a whole host of patents: the sweeping crescent side brush, Tact filter cleaning and the Intelligent Key System are just three of them.



Order no.

0.300-218.0

Technical data

EAN code		4054278138640
Traction drive		Hydraulic
Drive - Power	kW	8.3
Drive type		Petrol
Max. area performance	m²/h	10000
Max. area performance with 2 side brushes	m²/h	13600
Working width	mm	880
Working width with 1 side brush	mm	1250
Working width with 2 side brushes	mm	1700
Waste container	l	130
Climbing ability	%	16
Working speed	km/h	8
Weight (with accessories)	kg	684.1
Weight, ready for operation	kg	685
Weight incl. packaging	kg	685.1
Dimensions (L × W × H)	mm	1800 × 1500 × 1450

Equipment

Automatic filter cleaning	■
Coarse dirt flap	■
Overhead sweeping principle	■
Traction drive, forwards	■
Traction drive, reverse	■
Suction	■
Hydr. high dump	■
Outdoor use	■
Indoor use	■
Battery indicator	■
Elapsed time counter	■
Sweeping function, can be switched off	■
Wheels, pneumatic	■
Kärcher Intelligent Key	■
Start-stop system	■
Teach system	■
Crescent-shaped sweeping side brush	■
Automatic wear adjustment of the main sweeper roller	■
Tact filter cleaning	■
Multifunction display	■
Individual user languages/user rights	■
Shared service concept	■
Home Base fastening possibility	■
Main sweeper roller on rear axle	■

Dynamic sweeping

- Included in the scope of supply.

This machine requires instruction.



Sweeping crescent side brush

- No more tedious sweeping by hand.
- Cleans in corners in a single pass.
- Removes the need for manual pre-cleaning or multiple passes, thereby saving on costs.

Innovative, highly effective and automatic Tact filter cleaning system

- Consistently clean pores for an optimal cleaning result.
- Automatic cleaning.
- Filter elements with 4x performance.

Teach system

- Automatic roller brush correction according to wear.
- Three contact pressures selectable at the push of a button.
- Less wear and tear in Eco mode.

ACCESSORIES FOR KM 125/130 R G+KSSB

0.300-218.0



		Order no.	Description	
MAIN SWEEPER ROLLER				
Standard roller brush				
Standard roller brush	1	4.762-525.0	Water-resistant universal bristles, durable, suitable for all surfaces.	■
Main sweeper roller, hard				
Main sweeper roller, hard	2	4.762-527.0	For removing stubborn dirt outdoors.	□
SIDE BRUSHES				
Standard side brushes				
Standard side brushes	3	6.966-063.0	Water-resistant universal bristles, durable, suitable for all surfaces.	■
Side brush, hard				
Side brush, hard	4	6.906-705.0	Removes stubborn dirt outdoors, moisture-proof, mildly abrasive	□
MISCELLANEOUS				
KIK-Key yellow KM	5	5.035-943.0	User key for using the appliance	■
KIK-Key grey KM	6	5.035-944.0	Supervisor key for using the appliance	■
5-piece KIK keys, yellow	7	4.035-542.0	Key for operators. Cannot be adjusted.	□
WATER SPRAYING SYSTEM				
Water spraying system for side brushes	8	2.852-241.0	Water spraying system for binding dust, including nozzles for the left side brush and very stable 30-litre plastic container. Removable, with water drain, safe belt attachment.	□
FILTERS				
Flat pleated filter				
Flat pleated filter	9	6.907-519.3	Synthetic filter, moisture-proof, washable, saves maintenance costs	■
KITS				
Fleet mounting kit				
Attachment kit Plug-in Connect Module	10	2.644-391.0	The IoT module* is used to transmit information on the location and operating hours of battery-powered Kärcher cleaning machines and third-party devices to the equipment management system.	□
MOUNTING KITS FOR SWEEPERS AND VACUUM SWEEPERS				
Side brushes, left				
Second side brush left	11	2.851-256.0	Complete, including standard side brushes for increased area coverage.	□
Lighting				
Work illumination	12	2.852-059.0	For increased visibility, e.g. in underground garages or warehouses.	□
Sweeping/Vacuuming				
Side brush cover	13	2.852-244.0	For reducing dust when working with the KM 125/130 R vacuum sweeper: covering the side brush reduces dust dispersion and thereby prevents the environment and equipment from becoming dusty.	□
Warning beacon				
Revolving signal light on protective roof	14	2.852-058.0	For increased safety	□

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR KM 125/130 R G+KSSB

0.300-218.0



		Order no.	Description	
MOUNTING KITS FOR SWEEPERS AND VACUUM SWEEPERS				
Warning beacon				
Revolving signal light	15	2.852-057.0	For increased safety	<input type="checkbox"/>
Other mounting kits				
Comfort seat	16	2.851-381.0	For increased driving comfort.	<input type="checkbox"/>
OTHER ACCESSORIES SCRUBBER DRIERS				
Home Base accessories				
Home Base litter picker kit	17	4.035-524.0	Litter picker including fastener on the machine.	<input type="checkbox"/>
Home Base adapter	18	5.035-488.0	Fastener for various hooks and clips on the machine.	<input type="checkbox"/>
Double hook	19	6.980-077.0	Double hook for attaching rubbish bags, etc. to the machine. Only for use with the Homebase adapter 5.035-488.0.	<input type="checkbox"/>
Holder handhold grey	20	6.980-078.0	Mop clip for attaching a mop to the machine. Only for use with the Homebase adapter 5.035-488.0.	<input type="checkbox"/>
Bottle holder	21	6.980-080.0	Suitable for transporting spray bottles – only in conjunction with Home Base adapter 5.035-488.0.	<input type="checkbox"/>
TRACTION BATTERIES AND CHARGERS				
Accessories for batteries				
Box with wall holder	22	2.641-243.0	Supply system for charging wet batteries, the batteries can be filled easily, time saving. Mount the box 4 meters high.	<input type="checkbox"/>
SPRAY EXTRACTION MACHINES				
Other				
Cleaning agent container, complete	23	4.070-006.0	Kit consisting of cleaning agent container and Home Base adapter. For connecting Home Base rail.	<input type="checkbox"/>
CABS AND PROTECTIVE ROOFS				
Protective roof				
Protective roof	24	2.851-262.0	Robust steel construction. Complies with IEC 60335-2-72.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.