



NT 55/1 Tact Bs

Handy, powerful, single-motor, commercial wet and dry vacuum cleaner with innovative, patented filter cleaning - TACT system - and 55 l container volume for all applications in the bakery and confectionery trade. The special PES flat pleated filter system allows you to change from wet and dry vacuuming without a filter replacement. Machine is supplied without accessories. The NT 55/1 Tact Bs machine is equipped as standard with ground connection (anti-static system) up to the suction hose connection, accessories holder for storing the oven nozzle or the baker's set (both special accessories), with heat-resistant container and rubber

1 The vacuum cleaner for bakeries

- The plastic container is acid, lye and heat resistant.
- The optional accessory kits were developed specially for use in bakeries.

2 Heat-resistant PES flat pleated filter

- The machine has a heat-resistant PES flat pleated filter, dust class M
 - ideal for effortless removal of dust and dirt in bakeries.



NT 55/1 Tact Bs

- Antistatic preparation
- Tact automatic filter cleaning system
- Accessory holder for oven nozzle

Technical data

Order no.	1.146-700.0	
EAN code	4039784722590	
Supply voltage	V / Hz	220 - 240 / 50 - 60
Air flow	l/s	61
Vacuum	mbar / kPa	230 / 23
Container content	l	55
Rated input power	W	1380
Standard nominal width	DN 35	
Cable length	m	7.5
Sound pressure level	dB(A)	63
Weight	kg	16.5
Dimensions (L x W x H)	mm	580 × 380 × 870

Equipment

Flat pleated filter	PES	Stop swivel castor	■
Filter bag	piece(s) 1 / Paper	Maintenance-free suction turbines	piece(s) 1
Automatic cut-out features at max. filling quality	■		
Anti-static system	■		
Container material	Plastic		
Eco filter system	■		
Heat-resistant plastic container	■		
Filter cleaning	Tact Filter Clean		
Sturdy bumper	■		
Push handle	■		
Protection class	I		

■ Included in the scope of supply.

NT 55/1 TACT BS

1.146-700.0

KÄRCHER



		Order no.	Quantity				Price	Description	
Flat pleated filter, PES									
Flat pleated filter, PES	1	6.904-360.0	1 piece(s)					Flat pleated filter (PES) – BIA-C dust class M: rotproof polyester fleece, ideal for wet use and abrasives. Standard for NT 35/1 Eco BS and NT 55/1 Eco BS.	■
Flat pleated filter, PTFE									
Ultimate flat pleated filter	2	6.907-455.0	1 piece(s)					Ultimate flat pleated filter made from PES/PTFE fibre material with a black label. For the toughest applications when vacuuming liquids, fine dust and coarse dirt from dust classes M and L.	□
Wet filter bag									
Wet filter bag	3	6.904-211.0	5 piece(s)					Tear-resistant special/wet filter bag for dust class L, suitable for dry and wet pick up. Suitable for NT 561, NT 611 and NT 611 K.	□
Paper filter bags									
Paper filter bags	4	6.904-208.0	5 piece(s)					Five two-layer paper filter bags from dust class M with reinforced external layer for wet and dry vacuum cleaners from Kärcher.	□
Fabric filter									
Membrane filter	5	6.904-212.0	1 piece(s)					Polyester needle fleece membrane/fabric filter, washable up to 40°C, suitable for all NT 361 Eco to NT 611 Eco versions as an alternative to a filter bag.	□

■ Included in the scope of supply. □ Available accessories.

NT 55/1 TACT BS

1.146-700.0

KÄRCHER


		Order no.	Quantity	ID	Length	Width	Price	Description	
Nozzle kits									
Nozzle kit	1	2.860-116.0	1 piece(s)	DN 35				Nozzle kit for all NT vacuum cleaners with DN 35 accessories includes crevice tool, upholstery tool, round brush (x3)	☐
Bends, stainless steel									
Bend, stainless steel, ID 35	2	6.903-141.0	1 piece(s)	DN 35				Stainless steel and crooked, ID 35	☐
Bend, stainless steel, ID 40	3	6.902-079.0	1 piece(s)	DN 40				Stainless steel and crooked, ID 40	☐
Bend, plastic									
Plastic bend	4	5.031-718.0	1 piece(s)	DN 35				Plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H).	☐
Bend, plastic, electrically conductive	5	5.031-939.0	1 piece(s)	DN 35				Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models.	☐
Bend, plastic	6	6.902-009.0	1 piece(s)	DN 35				Plastic, ID 35.	☐
Bends, metal									
Bend, metal	7	6.900-519.0	1 piece(s)	DN 35				Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0, C 35-DN 35, plastic, el.).	☐
	8	6.900-276.0	1 piece(s)	DN 40				Robust, chromium-plated metal bend (DN 40), can be used instead of a plastic bend (with clip system adapter 5.407-111.0, C 40-DN 40, plastic, el.).	☐
All-purpose brushes									
All-purpose brush	9	6.903-863.0	1 piece(s)	35 mm	120 mm			Natural bristles (ox hair), bristle element 120 x 45 mm.	☐
Floor nozzles									
Wet/dry floor nozzle, plastic as standard, DN 35	10	6.906-512.0	1 piece(s)	DN 35		300 mm		Wet/dry floor nozzle made from plastic in DN 35 for wet and dry vacuum cleaners. Fitted with side rollers, brush strips and squeegees. Working width: 300 mm.	☐
Wet and dry floor nozzle, aluminium, DN 40	11	6.903-018.0	1 piece(s)	40		370 mm		All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	☐
Multi-purpose nozzle, wet/dry	12	6.906-383.0	1 piece(s)	40		450 mm		All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.	☐
	13	6.906-384.0	1 piece(s)	35		370 mm		All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	☐
DN 40 wet/dry floor nozzle	14	6.907-408.0	1 piece(s)	40		360 mm		Multi-purpose nozzle (ID 40), plastic, 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0).	☐
Car cleaning nozzles									
Car nozzle	15	6.906-108.0	1 piece(s)	DN 35		90 mm		Flat angled, convenient, plastic, DN 35 car cleaning nozzle designed for all Kärcher wet and dry vacuum cleaners with bends. Working width: Approx. 90 mm.	☐
Oven nozzles									
Oven nozzle	16	4.130-104.0	1 piece(s)	35 mm		350 mm		Aluminium, for cleaning ovens with squeegee 6.900-517.0 and support squeegee 6.900-518.0, each 2x.	☐
	17	4.130-173.0	1 piece(s)	35 mm		350 mm		For cleaning baking ovens with scratch bar.	☐

■ Included in the scope of supply. □ Available accessories.

NT 55/1 TACT BS

1.146-700.0

KÄRCHER


		Order no.	Quantity	ID	Length	Width	Price	Description	
Wide nozzles									
Squeegee nozzle	18	4.130-401.0	1 piece(s)	40 mm		611 mm		Metal, height-adjustable, brush strips, rubber blades (only for NT 55/1 Eco/Tact & NT 611 Eco/Tact versions)	☐
Crevice nozzles									
Crevice nozzle	19	6.900-385.0	1 piece(s)	DN 35	210 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm.	☐
	20	6.900-922.0	1 piece(s)	35 mm	500 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.	☐
	21	6.903-033.0	1 piece(s)	40	290 mm			Plastic crevice tool (DN 40) for vacuuming in crevices and corners. Length: 290 mm.	☐
	22	6.905-817.0	1 piece(s)	40 mm	400 mm			Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.	☐
	23	6.906-240.0	1 piece(s)	35 mm	250 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 250 mm.	☐
Rubber suction tools, nose 45°									
Rubber suction tool, nose 45°	24	6.902-104.0	1 piece(s)	35 mm	220 mm			45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	☐
	25	6.902-105.0	1 piece(s)	40 mm	220 mm			45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	☐
Combi-nozzles, dry									
Combi-nozzle, DN 35, 270 mm	26	6.906-511.0	1 piece(s)	DN 35		270 mm		Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.	☐
Pipe dusting nozzles									
Pipe brush 35/100	27	6.903-035.0	1 piece(s)	35 mm				Plastic, pipe diameter 100 mm	☐
Pipe brush 35/200	28	6.903-036.0	1 piece(s)	35 mm				Plastic, pipe diameter 200 mm	☐
Suction brushes									
Suction brush	29	6.903-862.0	1 piece(s)	35 mm		70 mm		Rotatable suction brush (DN 35) with high-quality synthetic hair bristles. Dimensions of the brush attachment: 70 x 45 mm.	☐
Suction tubes, stainless steel									
Suction tube	30	6.902-081.0	1 piece(s)	40	500 mm			Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.	☐
	31	6.906-531.0	1 piece(s)	40	1000 mm			Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.	☐
Suction tubes, plastic									
Suction tube	32	6.900-384.0	1 piece(s)	35	500 mm			Plastic suction tube (DN 35, 1x0.5 m) only suitable for BV and T vacuum cleaners.	☐
Suction tubes, metal									
Suction tube	33	6.900-514.0	1 piece(s)	35	500 mm			Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners.	☐
	34	6.900-275.0	1 piece(s)	40	550 mm			The suction tube (NW 40, 1 x 0.55 m) made from chrome-plated metal is standard in almost all commercial vacuum cleaners with twin motor. Optional for commercial single motor NT vacuum cleaner with suction hose NW 40.	☐

■ Included in the scope of supply. □ Available accessories.

NT 55/1 TACT BS 1.146-700.0

KÄRCHER



		Order no.	Quantity	ID	Length	Price	Description	
Repair kits								
Repair kit, C 35	1	2.639-682.0	1 piece(s)	C- 35			Suction hose repair kit (clip system).	☐
Suction hoses (clip system)								
Suction hose	2	6.906-241.0	1 piece(s)	DN 35	4 m		With bayonet and clip connection.	☐
	3	6.906-275.0	1 piece(s)	DN 35	2.5 m		With bayonet and clip connection, electrically conductive, C-35.	☐
	4	6.906-500.0	1 piece(s)	DN 35	4 m			☐
	5	6.906-321.0	1 piece(s)	40	4 m		With bayonet and clip connection, C 40.	☐
	6	6.906-877.0	1 piece(s)	DN 40	10 m		With bayonet and clip connection, electrically conductive, C-40.	☐
Suction hose (clip system), C 35, 10 m, wet and dry vacuum cleaners	7	6.906-242.0	1 piece(s)	DN 35	10 m		With bayonet and clip connection.	☐
Suction hoses complete								
Suction hose, complete	8	4.440-287.0	1 piece(s)	DN 35	4 m		Plastic.	☐
Complete suction hoses (clip system)								
Suction hose	9	4.440-626.0	1 piece(s)	DN 35	2.5 m		With bend, C ID 35.	☐
Suction hose, electrically conductive	10	4.440-653.0	1 piece(s)	DN 35	2.5 m		With bend, electrically conductive, C ID 35.	☐
Special hoses								
Special suction hose, heat-resistant	11	4.440-731.0	1 piece(s)	DN 35	2.5 m		Special suction hose, DN 35, 2.5 m, e.g. for oven cleaning, temperature-resistant up to 140°C, plastic, metal.	☐
Extension hoses (clip system)								
Extension hose	12	6.906-344.0	1 piece(s)	DN 40	2.5 m		For all C-40 hoses.	☐

■ Included in the scope of supply. □ Available accessories.

NT 55/1 TACT BS 1.146-700.0

KÄRCHER



		Order no.	Quantity	ID			Price	Description	
Connection adapter C ID (clip to cone), electrically conductive									
Connection adapter C DN 35	1	5.407-112.0	1 piece(s)	35 mm				C 35 hose connector for DN 35 accessory, electrically conductive.	☐
Connection adapter C DN 40	2	5.407-109.0	1 piece(s)	C-DN 40				Electrically conductive adapter (C 40) with DN 35 connection for connecting DN 35 accessories to an industrial C 40 or C-DN 40 suction hose. Suitable for NT vacuum cleaners.	☐
Expansion pieces (tube -> nozzle)									
Adapter ID 35 - 40 (tube -> nozzle)	3	6.902-084.0	1 piece(s)	35 mm				From DN 35 to DN 40: Plastic adapter (electrically non-conductive). Suitable for NT vacuum cleaners.	☐
Reducing sleeves									
Reducer	4	5.407-108.0	1 piece(s)	40 mm				Threaded reducer - from C-40 to DN 35. Suitable for NT vacuum cleaners.	☐
Reducers (tube -> nozzle)									
Reducer	5	6.902-017.0	1 piece(s)	40 mm				Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with DN 40 connecting cone.	☐
Reducer from ID 35 to ID 32	6	6.902-072.0	1 piece(s)	35 mm				Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.	☐
Reduction/expansion adapter kit									
Set of reducers / adapter sleeves	7	2.860-117.0	1 piece(s)					DN 40/35, DN 35/32 (tube -> nozzle), plastic.	☐

■ Included in the scope of supply. □ Available accessories.

NT 55/1 TACT BS

1.146-700.0



		Order no.	ID				Price	Description	
Target-group-specific accessory kits for vacuum cleaners									
Oven kit	1	2.640-341.0	DN 35					Extensive wet and dry accessory kit in nominal size DN 35 for Kärcher vacuum cleaners for cleaning ovens in bakeries. The oven kit comprises two suction tubes, a suction hose and a nozzle.	☐
Bakery kit, electrically conductive	2	2.640-436.0	DN 40					Electrically conductive wet and dry accessory kit in nominal size DN 40 for Kärcher vacuum cleaners. Developed for cleaning work equipment, storage spaces, etc. in bakeries and patisseries.	☐

■ Included in the scope of supply.
 ☐ Available accessories.

NT 55/1 TACT BS
1.146-700.0



		Order no.	Length	Colour	Quantity	Price	Description	
Miscellaneous								
Extension cable	1	6.647-022.0	20 m		1 piece(s)		Extension cable, 20 m, 3x1.5 mm ² . With splash-proof earthing pin plug, strain relief and anti-kink sleeve.	☐

■ Included in the scope of supply. ☐ Available accessories.