

NT 35/1 TACT TE

The NT 35/1 Tact Te is a handy, single-motor wet and dry vacuum cleaner with powerful suction for commercial use. Features include the innovative, patented Tact System for fully automatic filter cleaning and a power outlet with automatic on/off switch. The speed of the NT 35/1 Tact Te can be continuously regulated. The NT 35/1 Tact Te comes complete with accessories, which can be conveniently stored in the integrated suction hose and accessory storage.



Order no.

1.184-856.0

- Tact automatic filter cleaning system
- Automatic on/off switch
- Antistatic preparation


Technical data

EAN code		4039784722736
Supply voltage	V / Hz	220 - 240 / 50 - 60
Air flow	l/s	74
Vacuum	mbar / kPa	254 / 25.4
Container content	l	35
Container material		Plastic
Rated input power	W	1380
Standard nominal width		ID 35
Rubber power cable length	m	7.5
Sound pressure level	dB(A)	69
Weight without accessories	kg	12.5
Dimensions (L × W × H)	mm	520 × 380 × 580

Equipment

Suction hose	m	2.5 / with bend
Suction tube	piece(s) × m	2 × 0.5 / Stainless steel
Filter bag	piece(s)	1 / Fleece
Wet/dry floor nozzle	mm	300
Crevice nozzle	■	
Power tool connection adapter	■	
Automatic cut-out features at max. filling quality	■	
Automatic switch-on/off for electric devices	■	
Antistatic preparation	■	
Eco filter system	■	
Flat pleated filter		Paper
Filter cleaning		Tact Filter Clean
Protection class		I
Stop swivel castor	■	

■ Included in the scope of supply.



Tact system (Tact Automatic Filter Cleaning System)

- Fully automatic filter cleaning through powerful bursts of air with no loss of suction.
- Our Tact vacuum cleaner offers the only filter cleaning system on the market with a filter life of at least 130 kg of fine dust.
- The low maintenance costs and long filter life save time and money.



High-quality, robust equipment

- Robust and hard-wearing rubber power cord.
- 2 sturdy stainless steel suction tubes supplied as standard.



Ideal connections

- All Te versions are equipped with our power tool bushing.
- Our Power Tool socket allows connection of all conventional power tools.

ACCESSORIES FOR NT 35/1 TACT TE

1.184-856.0




		Order no.	Description	
FLAT PLEATED FILTER, STANDARD, BIA C OR UP TO DUST CLASS M				
Flat pleated filter, paper				
Dry flat pleated filter	1	6.904-367.0	Dry flat pleated filter made from cellulose fibre material with a green label. Suitable for vacuuming fine dust and coarse dirt from dust classes L and M.	■
Flat pleated filter, PES				
Flat pleated filter, PES	2	6.904-360.0	Flat pleated filter (PES) - BIA-C dust class M: rotproof polyester fleece, ideal for wet use and abrasives. Standard for NT 35/1 Eco BS and NT 55/1 Eco BS.	□
Flat pleated filter, PTFE				
Ultimate flat pleated filter	3	6.907-455.0	Ultimate flat pleated filter made from PES/PTFE fibre material with a black label. For the toughest applications when vacuuming liquids, fine dust and coarse dirt from dust classes M and L.	□
BENDS				
Bend, plastic				
Plastic bend	4	5.031-718.0	Plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H).	■
Bend, plastic, electrically conductive	5	5.031-939.0	Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models.	□
	6	5.032-427.0	Electrically conductive plastic bend (DN 40) with C-40 clip system, suitable for all NT vacuum cleaners.	□
Plastic bend	7	5.031-904.0	Plastic bend (DN 40) with C-40 clip system, suitable for all NT models.	□
Bends, metal				
Bend, metal	8	6.900-519.0	Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0, C 35-DN 35, plastic, el.).	□
Bend, stainless steel, ID 35	9	6.903-141.0	Stainless steel and crooked, ID 35	□
Bend, metal	10	6.900-276.0	Robust, chromium-plated metal bend (DN 40), can be used instead of a plastic bend (with clip system adapter 5.407-111.0, C 40-DN 40, plastic, el.).	□
Bend, stainless steel, ID 40	11	6.902-079.0	Stainless steel and crooked, ID 40	□
SUCTION NOZZLES				
Crevice nozzles				
Crevice nozzle	12	6.900-385.0	Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm.	■
	13	6.900-922.0	Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.	□
	14	6.903-033.0	Plastic crevice tool (DN 40) for vacuuming in crevices and corners. Length: 290 mm.	□

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR NT 35/1 TACT TE

1.184-856.0



		Order no.	Description	
SUCTION NOZZLES				
Crevice nozzles				
Crevice nozzle	15	6.905-817.0	Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.	☐
	16	6.906-240.0	Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 250 mm.	☐
All-purpose brushes				
All-purpose brush	17	6.903-863.0	Natural bristles (ox hair), bristle element 120 x 45 mm.	☐
Floor nozzles				
Wet/dry floor nozzle, plastic as standard, DN 35	18	6.906-512.0	Wet/dry floor nozzle made from plastic in DN 35 for wet and dry vacuum cleaners. Fitted with side rollers, brush strips and squeegees. Working width: 300 mm.	☐
Wet and dry floor nozzle, aluminium, DN 40	19	6.903-018.0	All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	☐
Wet/dry floor nozzle, aluminium, DN 40	20	6.906-383.0	All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.	☐
Wet/dry floor nozzle, aluminium, DN 35	21	6.906-384.0	All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	☐
Wet/dry floor nozzle, standard plastic, DN 35	22	2.889-173.0	300 millimetre width, anthracite coloured wet/dry floor nozzle, NW 35. With easy-to-change inserts. Incl. brush strips and squeegees.	☐
Wet/dry floor nozzle, standard plastic, DN 40	23	2.889-174.0	Standard floor nozzle, anthracite, in nominal diameter 40, with brush strips and squeegees. Suitable for all wet and dry applications.	☐
	24	6.907-408.0	Multi-purpose nozzle (ID 40), plastic, 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0).	☐
Rubber suction tools, nose 45°				
Rubber suction tool, nose 45°	25	6.902-104.0	45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	☐
	26	6.902-105.0	45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	☐
Combi-nozzles, dry				
Combi-nozzle, DN 35, 270 mm	27	6.906-511.0	Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.	☐
Pipe dusting nozzles				
Pipe brush 35/100	28	6.903-035.0	Plastic, pipe diameter 100 mm	☐

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR NT 35/1 TACT TE

1.184-856.0



		Order no.	Description	
SUCTION NOZZLES				
Pipe dusting nozzles				
Pipe brush 35/200	29	6.903-036.0	Plastic, pipe diameter 200 mm	☐
Suction brushes				
Suction brush	30	6.903-862.0	Rotatable suction brush (DN 35) with high-quality synthetic hair bristles. Dimensions of the brush attachment: 70 × 45 mm.	☐
Turbo nozzles				
Turbo upholstery nozzle	31	2.860-113.0	Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve.	☐
Turbo floor nozzle	32	2.860-114.0	Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve.	☐
Car cleaning nozzles				
Car nozzle	33	6.906-108.0	Flat angled, convenient, plastic, DN 35 car cleaning nozzle designed for all Kärcher wet and dry vacuum cleaners with bends. Working width: Approx. 90 mm.	☐
SUCTION TUBES				
Suction tubes, stainless steel				
Suction tube	34	6.902-154.0	0.5 m long stainless steel suction tube (ID 35) for wet and dry vacuum cleaners. Ideal for frequent wet vacuuming applications and for vacuuming corrosive components.	■
	35	6.902-081.0	Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.	☐
	36	6.906-531.0	Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.	☐
Suction tubes, plastic				
Suction tube	37	6.900-384.0	Plastic suction tube (DN 35, 1x0.5 m) only suitable for BV and T vacuum cleaners.	☐
Suction tubes, metal				
Suction tube	38	6.900-275.0	The suction tube (NW 40, 1 × 0.55 m) made from chrome-plated metal is standard in almost all commercial vacuum cleaners with twin motor. Optional for commercial single motor NT vacuum cleaner with suction hose NW 40.	☐
Suction tube set, chrome-plated, NW 35 550 mm	39	2.889-191.0	Suction tube set, metal-chrome-plated, NW 35, 2-part, each 0.55 millimetres.	☐
SUCTION HOSES				
Suction hoses with clip system 1.0 (compatible with vacuum cleaners up to model year 2016)				
Suction hose with bend, NT, DN 35, length 2.5 m, clip 1.0, bayonet 1.0	40	4.440-626.0	2.5 m standard suction hose with bend, bayonet at vacuum end and C 35 clip connection at accessory end. Without PDFC module. Standard for NT 27/1/Me Advance und NT 48/1.	■
Extension hose, NT, DN 35, length 2.5 m, clip 1.0, connecting adapter	41	6.906-237.0	Electrically non-conductive standard extension hose for all C-32 and C-35 hoses with clip system.	☐
Suction hose, NT, DN 35, length 4 m, clip 1.0, bayonet 1.0	42	6.906-241.0	4 m suction hose without bend and adapter. With bayonet at vacuum end and C 35 clip connection at accessory end.	☐

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR NT 35/1 TACT TE

1.184-856.0



		Order no.	Description	
SUCTION HOSES				
Suction hoses with clip system 1.0 (compatible with vacuum cleaners up to model year 2016)				
Suction hose with bend, NT, DN 35, length 2.5 m, electrically conductive, clip 1.0, bayonet 1.0	43	4.440-653.0	2.5 m electrically conductive suction hose with bend, bayonet at vacuum end and C 35 clip connection at accessory end. Without module.	☐
Suction hose, NT, DN 35, length 2.5 m, electrically conductive, clip 1.0, bayonet 1.0	44	6.906-275.0	2.5 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connection at accessory end.	☐
Suction hose, NT, DN 35, length 4 m, electrically conductive, clip 1.0, bayonet 1.0	45	6.906-500.0	4 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connection at accessory end.	☐
Suction hose, NT, DN 40, length 4 m, clip 1.0, bayonet 1.0	46	6.906-321.0	4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.	☐
Suction hose, NT, DN 40, length 4 m, oil-resistant, clip 1.0, bayonet 1.0	47	6.906-714.0	With bayonet and clip connection, 4 m, oil-resistant, without bend or connection adapter.	☐
Suction hose, NT, DN 40, length 10 m, electrically conductive, clip 1.0, bayonet 1.0	48	6.906-877.0	Suction hose with bayonet coupling, electrically conductive.	☐
Suction hose, NT, DN 35, length 10 m, clip 1.0, bayonet 1.0	49	6.906-242.0	10 m long DN 35 standard suction hose for Kärcher wet and dry vacuum cleaners. With a bayonet connection on the device and a C 35 clip connection for accessories.	☐
Repair kits				
Repair kit, C 35	50	2.639-682.0	Repair set (C35) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.	☐
Hose connection				
Adapter, ID 32/35, with internal thread	51	6.902-077.0	Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.	☐
Connecting adapter, ID 40, with internal thread	52	6.900-286.0	Electrically non-conductive adapter with screw thread at both ends. For connecting 2 DN 40 suction hoses without connectors.	☐
Suction hoses others				
Suction hose, NT, DN 35, length 7 m, with DN 27 connection adapter, bayonet 1.0	53	4.440-461.0	Electrically non-conductive suction hose (7 m) with DN 27 power tool adapter at accessory end and DN 27 bayonet at vacuum end. Connectors available on request.	☐
CONNECTING SLEEVES				
Connection adapter for power tools, clip-on, electrically conductive				
Connection adapter for power tools, C 35, electrically conductive	54	5.453-042.0	3-way plastic adapter. For DN 26 to DN 36. For connecting power tools to an industrial C or C-DN 35 suction hose. Suitable for NT vacuum cleaners.	■
	55	5.453-048.0	Inside Ø 25.4 mm, outside Ø 34.6 mm/ 38 mm, electrically conductive. Only NT vacuums.	☐
	56	5.453-050.0	Inside Ø 27 mm, outside Ø 36.5 mm/38.8 mm, electrically conductive. Only NT vacuums.	☐

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR NT 35/1 TACT TE

1.184-856.0



		Order no.	Description	
CONNECTING SLEEVES				
Y-adapter kit				
Y-adapter kit	57	2.637-217.0	Plastic distributor - suitable for NT vacuum cleaners.	☐
Connection adapter C ID (clip to cone)				
Connection adapter C DN 35	58	5.407-112.0	C 35 hose connector for DN 35 accessory, electrically conductive.	☐
Connection adapter C DN 40	59	5.407-109.0	Electrically conductive adapter (C 40) with DN 35 connection for connecting DN 35 accessories to an industrial C 40 or C-DN 40 suction hose. Suitable for NT vacuum cleaners.	☐
	60	5.407-111.0	C 40 hose connector for DN 40 accessory, electrically conductive.	☐
Adapter for electric power tools, screwable				
Adapter for electric power tools, screwable, ID 35	61	5.453-016.0	3-way plastic adapter with fitting instructions. For DN 26 to DN 36. For connecting to an industrial DN 35 suction hose.	☐
	62	5.453-026.0	Inside Ø 28.6 mm, outside Ø 37.3/38.8 mm.	☐
	63	6.902-059.0	Electrically conductive power tool adapter, threaded. Internal diameter: 32 mm.External diameter: 39 mm.	☐
	64	6.902-095.0	2-way power tool adapter, threaded. For connecting to an industrial DN 35 suction hose. Internal diameter: 28 mm.External diameter: 34 mm and 38.8 mmSuitable for NT vacuum cleaners.	☐
Expansion pieces (tube -> nozzle)				
Adapter ID 35 - 40 (tube -> nozzle)	65	6.902-084.0	From DN 35 to DN 40: Plastic adapter (electrically non-conductive). Suitable for NT vacuum cleaners.	☐
Reducing sleeves				
Reducer	66	5.407-108.0	Threaded reducer - from C-40 to DN 35. Suitable for NT vacuum cleaners.	☐
Reducers (tube -> nozzle)				
Reducer	67	6.902-017.0	Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with DN 40 connecting cone.	☐
Reducer from ID 35 to ID 32	68	6.902-072.0	Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.	☐
Reduction/expansion adapter kit				
Set of reducers / adapter sleeves	69	2.860-117.0	DN 40/35, DN 35/32 (tube -> nozzle), plastic.	☐
NOZZLE KITS				
DN 35 nozzle kit: Crevice nozzle, upholstery nozzle, round brush	70	2.860-116.0	Nozzle kit consisting of a crevice nozzle, upholstery nozzle and round brush. The nozzle kit is suitable for all Kärcher dry vacuum cleaners and wet and dry vacuum cleaners in nominal width DN 35.	☐

☐ Available accessories.

ACCESSORIES FOR NT 35/1 TACT TE

1.184-856.0




		Order no.	Description	
TARGET-GROUP-SPECIFIC ACCESSORY KITS FOR VACUUM CLEANERS				
Universal trade and industrial set	71	2.637-595.0	Wet and dry accessory kit (DN 35) for Kärcher vacuum cleaners for use in trade and industry. The trade set comprises a multi-purpose brush, a crevice nozzle, an upholstery nozzle, a combi floor nozzle and a wet floor nozzle.	☐
Construction kit	72	2.637-352.0	Wet and dry accessory kit in nominal size DN 40 for the building industry and trade comprising: A bend, two suction tubes, a crevice nozzle, a floor nozzle and a 4 m suction hose.	☐
Professional cleaning kit NT DN 40	73	2.637-353.0	Professional wet and dry accessory kit in nominal size DN 40 for Kärcher vacuum cleaners. The wet and dry professional cleaning kit comprises a suction hose, bend, two suction tubes, crevice nozzle and floor nozzle.	☐
Car cleaning accessory kit	74	2.862-166.0	Vehicle interior cleaning accessory kit in nominal width DN 35 for Kärcher wet and dry vacuum cleaners. The kit comprises various nozzles and adapter pieces in nominal widths DN 35 and DN 40.	☐
Horse kit, electrically conductive	75	2.637-248.0	Accessory kit for Kärcher vacuum cleaners for grooming horses and ponies in nominal sizes DN 35 and DN 40. The horse kit comprises a grooming brush, a grooming curry comb, a nubbed curry comb and a suction hose.	☐
Wet and dry vacuuming kit, ID 40, electrically conductive	76	2.638-147.0	Electrically conductive wet and dry accessory kit in nominal size DN 40 for Kärcher vacuum cleaners. The suction kit comprises a suction hose, a bend, a floor nozzle, a crevice nozzle and two suction tubes.	☐
OTHER ACCESSORIES NT				
Drilling dust nozzle	77	2.679-000.0	Drilling dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	☐
CS 40 Me	78	2.863-026.0	The highly efficient CS 40 Me cyclone preseparator for all Kärcher wet and dry vacuum cleaners is a specially designed accessory for fine dust applications on construction sites or in industry.	☐
FILTER T/ NT				
Flat pleated filter HEPA, dust class H				
HEPA-14 flat pleated filter	79	6.904-242.0	HEPA-14 (H14) flat pleated filter for Kärcher wet and dry vacuum cleaners. Suitable for vacuuming hazardous dusts, coarse dirt and liquids.	☐
Coarse dirt filter for wet vacuuming				
Coarse dirt filter for wet and dry vacuum cleaners	80	6.904-287.0	Coarse dirt filter with perforated metal plate and foam seal to protect the turbines of most single-motor wet and dry vacuum cleaners from the Tact and Ap class from Kärcher.	☐
Wet filter bag				
Wet filter bag	81	6.904-171.0	Approved for dust class L, general cleaning, wet and dry, tear-resistant.	☐
Paper filter bags				
Paper filter bags, 5 x , NT 25, NT 35, NT 45, NT 360, NT 361, NT 561, NT 611	82	6.904-259.0	5 paper filter bags (BIA-C dust class M) with reinforced outer ply (e.g. cement dust). For all NT 361 Eco models (except Eco H).	☐
Plastic sacks for dust-free disposal				
Plastic bag for dust-free disposal, 10 x , NT 25, NT 35, NT 40, NT 45, NT 55, NT 361, Xpert NT 360	83	6.596-886.0	PE plastic sack.	☐
Fabric filter				
Membrane filter, NT 25, NT 35, NT 40, NT 45, NT 55, NT 75, NT 361, NT 561, NT 611, Xpert NT 360	84	6.904-212.0	Polyester needle fleece membrane/fabric filter, washable up to 40°C, suitable for all NT 361 Eco to NT 611 Eco versions as an alternative to a filter bag.	☐

☐ Available accessories.

ACCESSORIES FOR NT 35/1 TACT TE

1.184-856.0



		Order no.	Description	
FILTER T/ NT				
Fabric filter				
Candle filter Wood, NT 35/1, NT 45/1, NT 55	85	2.414-001.0	Wood cartridge filter made from textile material with PTFE coating and a brown label. For vacuuming large quantities of wood and fibre dust with our NT 35/1, 45/1 and 55/1 single motor Tact vacuums.	☐
Fleece filter bags				
Fleece filter bags, 5 × , NT 20/1, NT 35/1, NT 38/1	86	6.907-479.0	Fleece filter bag, tear-resistant, dust class M.	☐
Fleece filter bags, 5 × , NT 25, NT 35, NT 45, NT 361 ECO, Xpert NT 360	87	6.904-351.0	3-ply tear-resistant fleece filter bags (dust class M). For dry pick up, suitable for the following models: NT 361 Eco, Eco TE, TE-A and NT 361 Eco M, NT 35/1 Eco, Eco Te, Eco M. Contents: x5	☐
OTHER ACCESSORIES SCRUBBER DRIERS				
Miscellaneous				
Extension cable	88	6.647-022.0	Extension cable, 20 m, 3x1.5 mm ² . With splash-proof earthing pin plug, strain relief and anti-kink sleeve.	☐

☐ Available accessories.