

KM 150/500 R D

Diesel-powered, fully hydraulic industrial sweeper with three-wheel rear steering. For tackling tough jobs in the building material or metal-working industries, foundries and other dirt-intensive sectors.



Order no. 1.186-124.0

- Sweeper with internal combustion engine, high container emptying
- 1500 mm working width, 12,000 m²/h area performance, 500 l container volume
- Flat pleated filter, side brush on the right, flashing beacon

Technical data

EAN code	4039784521902
Drive type	Diesel
Traction drive	Four-stroke engine
Motor manufacturer	Yanmar
Drive – Power	kW 18.6
Max. area performance	m ² /h 18000
Working width	mm 1200
Working width with 1 side brush	mm 1500
Working width with 2 side brushes	mm 1800
Waste container	l 500
Climbing ability	% 18
Working speed	km/h 12
Filter area	m ² 7
Weight (with accessories)	kg 1440
Weight, ready for operation	kg 1440
Dimensions (L × W × H)	mm 2442 × 1570 × 1640

Equipment

Manual filter cleaning	■
Adjustable main sweeper roller	■
Power steering	■
Suction volume regulation	■
Dustpan principle	■
Traction drive, forwards	■
Traction drive, reverse	■
Suction	■
Hydr. high dump	■
Outdoor use	■
Elapsed time counter	■
Sweeping function, can be switched off	■
Wheels, pneumatic	■
Side brush, automatically swings out	■

■ Included in the scope of supply.

This machine requires instruction.



Efficient filter system

- Flat pleated filter with 7 m² filter area.
- Effective cleaning with dual scraper.
- For dust-free sweeping.



Comfortable workspace

- All control elements are clearly arranged and within easy reach.
- All displays within view.
- Optional: cabs with heating or air-conditioning.







Simple operation, maintenance and servicing

- Very simple technology with tried-and-tested components: fully hydraulic drive, electric rather than electronic.
- Easy access to the motor compartment for quick and easy servicing.
- Main sweeper roller and flat pleated filter can be changed without tools.

ACCESSORIES FOR KM 150/500 R D

1.186-124.0



		Order no.	Description	
MAIN SWEEPER ROLLER				
Standard roller brush				
Standard roller brush	1	6.987-085.0	Tough standard roller brush with moisture-proof universal bristles for normal soiling on all surfaces. Extremely durable.	■
Main sweeper roller, soft				
Main sweeper roller, soft	2	6.987-464.0	Specially designed with polypropylene bristles for fine dust sweeping on smooth floors in both inside and outside areas.	□
Main sweeper roller, soft/natural	3	6.987-437.0	Specially designed with natural bristles for sweeping fine dust on smooth floors indoors.	□
Main sweeper roller, antistatic				
Reversing rolling mill antistatic KM 150	4	6.986-000.0		□
Main sweeper roller, hard				
Main sweeper roller, hard	5	6.987-436.0	For removing stubborn dirt outdoors.	□
FILTERS				
Flat pleated filter				
Flat pleated filter green	6	6.988-159.0	Provides high separation degree, saves on maintenance costs, ensures optimum waste air cleaning.	■
Flat pleated filter white	7	6.987-177.0	Plastic filter for standard applications.	□
SIDE BRUSHES				
Standard side brushes				
Side brush, standard	8	6.987-083.0	Water-resistant universal bristles, durable, suitable for all surfaces.	■
Side brush, hard				
Side brush, hard	9	6.905-773.0	Removes stubborn dirt outdoors, moisture-proof, mildly abrasive	□
Side brush, steel bristles	10	6.905-619.0	For stripping, removing moss, abrasive, for outdoor use only	□
Side brush, soft				
Side brush, soft	11	6.905-620.0	Sweeps fine dust on all surfaces, moisture-proof, for indoors and outdoors	□
KITS				
Fleet mounting kit				
Attachment kit Plug-in Connect Module	12	2.644-391.0	The IoT module* is used to transmit information on the location and operating hours of battery-powered Kärcher cleaning machines and third-party devices to the equipment management system.	□
MOUNTING KITS FOR SWEEPERS AND VACUUM SWEEPERS				
Lighting				
Spotlight blue	13	2.852-802.0	Blue spotlight for the KM Industrial vacuum sweeper from Kärcher. The optical route warning device ensures maximum visibility and safety for people and the machine itself.	□
Spotlight blue - ex works	14	2.852-802.7		□

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR KM 150/500 R D

1.186-124.0



		Order no.	Description	
MOUNTING KITS FOR SWEEPERS AND VACUUM SWEEPERS				
Lighting				
Street lighting – ex works	15	2.851-280.7	Attachment kit consisting of flashing beacon, light, indicator, horn, brake light and hazard light, certified and approved according to the German Road Traffic Licensing Ordinance.	<input type="checkbox"/>
Work illumination	16	2.851-279.0	Working lights for additional illumination of large areas such as underground car parks or warehouses.	<input type="checkbox"/>
Sweeping/Vacuuming				
Add-on kit third side brush – ex works	17	2.851-277.7	Flexible for larger sweeping width – ideal for sweeping on different levels or around obstacles.	<input type="checkbox"/>
Holder for NT 22/1 Ap Bp vacuum cleaner	18	2.852-884.0	Holder for industrial sweepers for carrying the NT 22/1 wet and dry vacuum cleaner from Kärcher. Makes it easier to clean corners and gaps in one work step.	<input type="checkbox"/>
Side brush cover – ex works	19	2.851-287.7	Side brush cover reduces dust dispersion.	<input type="checkbox"/>
Side brush cover	20	2.851-287.0		<input type="checkbox"/>
Other mounting kits				
Ram protection	21	2.852-621.0		<input type="checkbox"/>
Add-on kit wet sweep	22	2.852-821.0		<input type="checkbox"/>
Comfort seat	23	6.373-014.0	For increased driving comfort.	<input type="checkbox"/>
Add-on kit stainless steel container – ex works	24	6.961-927.7	Stainless steel waste container for waste and areas of application with increased risk of corrosion.	<input type="checkbox"/>
Side brushes, left				
Second side brush left	25	2.851-274.0	Side brush, complete, including standard side brush for increasing area performance.	<input type="checkbox"/>
CABS AND PROTECTIVE ROOFS				
Driver's protective cabin				
Comfort cabin with heating and air condition – ex works	26	2.851-266.7	The robust steel construction reliably protects the driver. Fully glazed with hinged rear window and left side window.	<input type="checkbox"/>
Comfort cabin with heating – ex works	27	2.851-265.7		<input type="checkbox"/>
Comfort cabin with all-around glazing – ex works	28	2.851-264.7		<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR KM 150/500 R D

1.186-124.0



		Order no.	Description	
CABS AND PROTECTIVE ROOFS				
Driver's protective cabin				
Protective cabin with windscreen and wiper - ex works	29	2.851-270.7	The roof with windscreen and windscreen wiper protects the driver from falling objects.	<input type="checkbox"/>
Protective cabin without glazing - ex works	30	2.851-268.7	The protective roof complies with VDE standard IEC 60335-2-72.	<input type="checkbox"/>
Protective roof				
Protective roof	31	2.852-688.0		<input type="checkbox"/>
TYRES, PUNCTURE-PROOF				
Front/rear tyre solid rubber non-chalking	32	6.435-176.0	Recommended for sweeping metal shavings, glass shards, etc. Avoids tyre marks on light surfaces.	<input type="checkbox"/>
Tyres set solid rubber	33	4.515-329.0	Puncture-proof and recommended for sweeping metal shavings, glass shards, etc.	<input type="checkbox"/>
WATER SPRAYING SYSTEM				
Water spraying system for side brushes	34	2.851-282.0	For binding dust. Consisting of stainless steel water tank (60 l) and spray water nozzles on the side brushes.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.