



## Circular sprinkler CS 90 Spike

Circular sprinkler CS 90 with strong spike ideal for watering small areas and gardens and suitable for use on uneven or sloping areas. Max. watering area: 64 sqm.



- 1 Robust spike for uneven or sloping underground
- Guaranteed stability and robustness

## **TECHNICAL DATA AND EQUIPMENT**





## Circular sprinkler CS 90 Spike

Technical data		
Order no.		2.645-024.0
EAN code		4039784289079
Water volume		24 l/min
Sprinkling diameter (2 bar)		9 m
Sprinkling diameter (4 bar)		9 m
Sprinkling area (4 bar)		64 m² (4 bar)
Weight	kg	0.07
Weight incl. packaging	kg	0.11
Dimensions (L x W x H)	mm	58 × 105 × 243

## CIRCULAR SPRINKLER CS 90 SPIKE 2.645-024.0











		Order no.			Price	Description	
Hoses				'			
PrimoFlex® hose 1/2" - 20 m	1	2.645-138.0				The PrimoFlex* (1/2") flexible garden hose is 20 m long, temperature-resistant, comes with pressure-resistant reinforcement technology and contains no substances that are harmful to health. Bursting pressure: 24 bar.	
Hose connection systems							
Universal Hose Connector with Aqua Stop	2	2.645-192.0				Universal hose coupling with Aqua Stop. Ergonomic design for convenient handling.	٥
G3/4 tap adaptor with G1/2 reduc- er	3	2.645-006.0				Extremely tough tap connector 3/4" thread with 1/2" thread reducer. The reducer allows connection to two thread sizes. Compatible with all click systems.	
Universal Hose Connector	4	2.645-191.0				Ergonomically designed universal hose coupling for convenient handling.	_

<sup>☐</sup> Available accessories.