




Watertimer WT 5

The WT 5 water timer starts and stops garden watering completely independently. The watering time and duration can be programmed precisely as desired.



1 Selection of the weekdays and exact regulation of time and duration of each watering cycle (max. 2 per day)

- Precise watering – ideal for regions with watering restrictions.

2 Removable display

- Easy and convenient programming with good overall view of the complete watering programme.

3 Battery level display and storage function for battery replacement

- The control over functionality and programming is maintained after the battery is replaced.

4 Automatic On/Off

- Convenient and regular watering.



Watertimer WT 5

Technical data

Order no.	2.645-219.0	
EAN code	4039784629950	
Connection thread	G3/4 + G1	
Max. pressure	bar	10
Weight	kg	0.33
Weight incl. packaging	kg	0.56
Dimensions (L x W x H)	mm	112 x 125 x 129

-- When connecting these products to the drinking water network, you must observe the requirements of EN 1717. If necessary, ask your sanitary specialist.

Equipment

Programmable water outlet	piece(s)	1
Batteries required	■	
Batteries included in scope of supply	no	
Number of batteries	1 x 9 V Block	

When connecting these products to the drinking water network, you must observe the requirements of EN 1717. If necessary, ask your sanitary specialist.

WATERTIMER WT 5

2.645-219.0

KÄRCHER



		Order no.					Price	Description	
Hoses									
PrimoFlex Plus hose 1/2" - 20 m	1	2.645-144.0						20 m PrimoFlex® Plus quality garden hose (1/2"). With pressure-resistant reinforcement mesh. Contains no substances that are harmful to health. Bursting pressure: 45 bar. High temperature resistance from -20 to 65 °C.	<input type="checkbox"/>
Hose connection systems									
Universal hose coupling Plus	2	2.645-193.0						Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems.	<input type="checkbox"/>
Universal hose coupling Plus with Aqua Stop	3	2.645-194.0						Universal hose coupling plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems.	<input type="checkbox"/>
Sprinklers									
Oscillating sprinkler OS 5.320 S	4	2.645-134.0						Oscillating sprinkler OS 5.320 S for watering medium-sized and large areas and gardens. Adjustable flow control (0-max.). Covers up to 320 m ² .	<input type="checkbox"/>
Kärcher Rain System®									
Kärcher Rain Box	5	2.645-238.0						The extendable Kärcher Rain Box with filter, drip collars, connection parts and hoses is the ideal ready-for-connection starter set for efficient garden watering.	<input type="checkbox"/>

☐ Available accessories.