

## IVM 40/24-2

Dual-motor, manoeuvrable and robust middle class IVM 40/24-2 industrial vacuum cleaner for universal use in industrial applications for fine and coarse solid materials. With dust class M star filter.



Order no. 9.989-906.0

- Antistatic equipment

### Technical data

|                             |             |                         |
|-----------------------------|-------------|-------------------------|
| EAN code                    |             | 4054278942988           |
| Power supply                | Ph / V / Hz | 1 / 220 - 240 / 50 - 60 |
| Air flow                    | l/s / m³/h  | 106 / 381.6             |
| Vacuum                      | mbar / kPa  | 225 / 22.5              |
| Container capacity          | l           | 40                      |
| Container material          |             | Stainless steel         |
| Rated input power           | kW          | 2.3                     |
| Vacuuming type              |             | Electric                |
| Connection nominal diameter |             | DN 70                   |
| Accessory nominal diameter  |             | DN 50 / DN 40           |
| Sound pressure level        | dB(A)       | 77                      |
| Main filter dust class      |             | M                       |
| Filter area for main filter | m²          | 1.6                     |
| Weight without accessories  | kg          | 35.7                    |
| Weight incl. packaging      | kg          | 36.7                    |
| Dimensions (L × W × H)      | mm          | 645 × 655 × 1150        |

This machine requires instruction.

### Equipment

|                                               |                  |
|-----------------------------------------------|------------------|
| Main filter                                   | Star filter      |
| Accessories included in the scope of delivery | no               |
| Container emptying                            | Set-down trolley |

- Included in the scope of supply.



## 2 blower motors


- High suction power and robustness.

## Mobile stainless steel container

- The deposited container can be conveniently removed from the chassis and driven for disposal/emptying.

## ACCESSORIES FOR IVM 40/24-2

### 9.989-906.0



|                                               |    | Order no.   | Description                                                                                                                               |   |
|-----------------------------------------------|----|-------------|-------------------------------------------------------------------------------------------------------------------------------------------|---|
| <b>EMPTYING SUPPORTS</b>                      |    |             |                                                                                                                                           |   |
| <b>Emptying bags</b>                          |    |             |                                                                                                                                           |   |
| PE emptying bag dia. 540 mm 50 l              | 1  | 9.977-885.0 |                                                                                                                                           | ■ |
| <b>OTHER ACCESSORIES</b>                      |    |             |                                                                                                                                           |   |
| Accessories holder completely                 | 2  | 9.991-147.0 |                                                                                                                                           | ■ |
| Power cable storage compartment               | 3  | 5.037-240.0 | The power cord is stored on a hook attached to the tubular frame. The practical cord hook is suitable for a pipe diameter of 30 to 32 mm. | ■ |
| Accessories box completely                    | 4  | 9.991-046.0 |                                                                                                                                           | □ |
| <b>HANDLES</b>                                |    |             |                                                                                                                                           |   |
| Handle stainless steel AISI 304 DN40          | 5  | 9.989-896.0 |                                                                                                                                           | □ |
| Handle stainless steel AISI 304 DN50          | 6  | 9.989-897.0 |                                                                                                                                           | □ |
| Handle straight stainless steel AISI 304 DN40 | 7  | 9.989-898.0 |                                                                                                                                           | □ |
| Handle straight stainless steel AISI 304 DN50 | 8  | 9.989-899.0 |                                                                                                                                           | □ |
| Handle carbon 45° DN-F40                      | 9  | 9.989-916.0 |                                                                                                                                           | □ |
| Handle carbon 45° DN-F50                      | 10 | 9.989-917.0 |                                                                                                                                           | □ |
| Handle carbon 110° DN-F40                     | 11 | 9.989-918.0 |                                                                                                                                           | □ |
| Handle carbon 110° DN-F50                     | 12 | 9.989-919.0 |                                                                                                                                           | □ |
| <b>SUCTION TUBES</b>                          |    |             |                                                                                                                                           |   |
| Suction tube stainless steel AISI 304 DN40    | 13 | 9.989-912.0 |                                                                                                                                           | □ |
| Suction tube stainless steel AISI 304 DN50    | 14 | 9.989-913.0 |                                                                                                                                           | □ |

■ Included in the scope of supply. □ Available accessories.

## ACCESSORIES FOR IVM 40/24-2

### 9.989-906.0




|                                                        |    | Order no.   | Description                                                                                                                                                                                       |                          |
|--------------------------------------------------------|----|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| <b>SUCTION TUBES</b>                                   |    |             |                                                                                                                                                                                                   |                          |
| Suction tube carbon 1500 mm DN-F40 conical             | 15 | 9.989-920.0 |                                                                                                                                                                                                   | <input type="checkbox"/> |
| Suction tube carbon 1500 mm DN-F50 conical             | 16 | 9.989-921.0 |                                                                                                                                                                                                   | <input type="checkbox"/> |
| Suction tube aluminium high temperature 1000 mm DN-F40 | 17 | 9.989-928.0 |                                                                                                                                                                                                   | <input type="checkbox"/> |
| Suction tube aluminium high temperature 1000 mm DN-F50 | 18 | 9.989-929.0 |                                                                                                                                                                                                   | <input type="checkbox"/> |
| Suction tube aluminium high temperature 2000 mm DN-F40 | 19 | 9.989-930.0 |                                                                                                                                                                                                   | <input type="checkbox"/> |
| Suction tube aluminium high temperature 2000 mm DN-F50 | 20 | 9.989-931.0 |                                                                                                                                                                                                   | <input type="checkbox"/> |
| Suction tube aluminium high temperature 3000 mm DN-F40 | 21 | 9.989-932.0 |                                                                                                                                                                                                   | <input type="checkbox"/> |
| Suction tube aluminium high temperature 3000 mm DN-F50 | 22 | 9.989-933.0 |                                                                                                                                                                                                   | <input type="checkbox"/> |
| <b>ACCESSORY SETS</b>                                  |    |             |                                                                                                                                                                                                   |                          |
| <b>Accessory kit for solids/dust</b>                   |    |             |                                                                                                                                                                                                   |                          |
| Food accessory kit Expert DN 40                        | 23 | 9.989-940.0 | Food accessory kit DN 40: PU hose 3 m (9.989-970.0), handle (9.989-898.0), standard nozzle (9.989-838.0), brush (9.989-879.0), reducer (9.989-713.0), adapter (9.993-012.0).                      | <input type="checkbox"/> |
| Food accessory kit Expert DN 50                        | 24 | 9.989-941.0 | Food accessory kit: PU hose 3 m (9.989-973.0), handle (9.989-899.0), standard nozzle (9.989-844.0), brush (9.989-880.0), reducer (9.989-712.0), adapter (9.993-011.0).                            | <input type="checkbox"/> |
| Accessory kit for overhead cleaning Expert DN 40       | 25 | 9.989-942.0 | Accessory kit DN 40 for overhead cleaning: suction tubes (9.989-920.0/9.993-008.0), handles (9.989-916.0/9.989-918.0), standard nozzle (9.989-838.0), brush (9.989-879.0), adapter (9.993-012.0). | <input type="checkbox"/> |
| Accessory kit for overhead cleaning DN 50 Expert       | 26 | 9.989-943.0 | Accessory kit DN 50 for overhead cleaning: suction tubes (9.989-921.0/9.993-009.0), handles (9.989-917.0/9.989-919.0), standard nozzle (9.989-844.0), brush (9.989-880.0), adapter (9.993-011.0). | <input type="checkbox"/> |
| Professional dry floor cleaning set DN40               | 27 | 9.990-877.0 | Professional dry floor cleaning set: adapter (9.990-874.0), hose (2.889-141.0), bend (2.889-172.0), 2 × suction tube (2.889-194.0), 3 × nozzles (6.906-958.0, 6.903-033.0, 6.902-105.0).          | <input type="checkbox"/> |
| Advanced dry floor cleaning set DN40                   | 28 | 9.990-893.0 | Advanced dry floor cleaning set: EVA hose (9.990-923.0), handle (9.990-929.0), 2 × suction tube (9.990-933.0), floor nozzle (9.990-935.0), standard nozzle (9.980-773.0).                         | <input type="checkbox"/> |

■ Included in the scope of supply. □ Available accessories.

## ACCESSORIES FOR IVM 40/24-2

### 9.989-906.0



|                                                 |    | Order no.   | Description                                                                                                                                                                                       |                          |
|-------------------------------------------------|----|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| <b>ACCESSORY SETS</b>                           |    |             |                                                                                                                                                                                                   |                          |
| <b>Accessory kit for solids/dust</b>            |    |             |                                                                                                                                                                                                   |                          |
| Advanced dry floor cleaning set DN50            | 29 | 9.990-894.0 | Advanced dry floor cleaning set: EVA hose (9.990-924.0), handle (9.990-930.0), 2 × suction tube (9.990-934.0), floor nozzle (9.990-936.0), standard nozzle (9.980-761.0).                         | <input type="checkbox"/> |
| Expert oven accessory kit, DN 35                | 30 | 9.991-106.0 | Accessory kit for oven cleaning: adapter (9.990-987.0), adapter (5.031-436.0), suction hose (4.440-731.0), suction tube (4.321-161.0), 2 × suction tube (6.902-124.0), oven nozzle (4.130-104.0). | <input type="checkbox"/> |
| <b>NOZZLES</b>                                  |    |             |                                                                                                                                                                                                   |                          |
| <b>Standard nozzles</b>                         |    |             |                                                                                                                                                                                                   |                          |
| Standard nozzle silicone FDA blue DN-F40        | 31 | 9.989-835.0 |                                                                                                                                                                                                   | <input type="checkbox"/> |
| Standard nozzle silicone FDA green DN-F40       | 32 | 9.989-836.0 |                                                                                                                                                                                                   | <input type="checkbox"/> |
| Standard nozzle silicone FDA red DN-F40         | 33 | 9.989-837.0 |                                                                                                                                                                                                   | <input type="checkbox"/> |
| Standard nozzle silicone FDA transparent DN-F40 | 34 | 9.989-838.0 |                                                                                                                                                                                                   | <input type="checkbox"/> |
| Standard nozzle silicone FDA white DN-F40       | 35 | 9.989-839.0 |                                                                                                                                                                                                   | <input type="checkbox"/> |
| Standard nozzle silicone FDA yellow DN-F40      | 36 | 9.989-840.0 |                                                                                                                                                                                                   | <input type="checkbox"/> |
| Standard nozzle silicone FDA blue DN-F50        | 37 | 9.989-841.0 |                                                                                                                                                                                                   | <input type="checkbox"/> |
| Standard nozzle silicone FDA green DN-F50       | 38 | 9.989-842.0 |                                                                                                                                                                                                   | <input type="checkbox"/> |
| Standard nozzle silicone FDA red DN-F50         | 39 | 9.989-843.0 |                                                                                                                                                                                                   | <input type="checkbox"/> |
| Standard nozzle silicone FDA transparent DN-F50 | 40 | 9.989-844.0 |                                                                                                                                                                                                   | <input type="checkbox"/> |
| Standard nozzle silicone FDA white DN-F50       | 41 | 9.989-845.0 |                                                                                                                                                                                                   | <input type="checkbox"/> |
| Standard nozzle silicone FDA yellow DN-F50      | 42 | 9.989-846.0 |                                                                                                                                                                                                   | <input type="checkbox"/> |

■ Included in the scope of supply.    □ Available accessories.

ACCESSORIES FOR IVM 40/24-2  
9.989-906.0



|                                                           |    | Order no.   | Description |                          |
|-----------------------------------------------------------|----|-------------|-------------|--------------------------|
| NOZZLES                                                   |    |             |             |                          |
| Floor nozzles                                             |    |             |             |                          |
| Floor nozzle stainless steel AISI 304 DN-F40 blue         | 43 | 9.989-861.0 |             | <input type="checkbox"/> |
| Floor nozzle stainless steel AISI 316L DN-F50 blue        | 44 | 9.989-862.0 |             | <input type="checkbox"/> |
| Floor nozzle stainless steel AISI 316L DN-F40 green       | 45 | 9.989-863.0 |             | <input type="checkbox"/> |
| Floor nozzle stainless steel AISI 316L DN-F50 green       | 46 | 9.989-864.0 |             | <input type="checkbox"/> |
| Floor nozzle stainless steel AISI 316L DN-F40 red         | 47 | 9.989-865.0 |             | <input type="checkbox"/> |
| Floor nozzle stainless steel AISI 316L DN-F50 red         | 48 | 9.989-866.0 |             | <input type="checkbox"/> |
| Floor nozzle stainless steel AISI 316L DN-F40 transparent | 49 | 9.989-867.0 |             | <input type="checkbox"/> |
| Floor nozzle stainless steel AISI 316L DN-F50 transparent | 50 | 9.989-868.0 |             | <input type="checkbox"/> |
| Floor nozzle stainless steel AISI 316L DN-F40 white       | 51 | 9.989-869.0 |             | <input type="checkbox"/> |
| Floor nozzle stainless steel AISI 316L DN-F50 white       | 52 | 9.989-870.0 |             | <input type="checkbox"/> |
| Floor nozzle stainless steel AISI 316L DN-F40 yellow      | 53 | 9.989-871.0 |             | <input type="checkbox"/> |
| Floor nozzle stainless steel AISI 316L DN-F50 yellow      | 54 | 9.989-872.0 |             | <input type="checkbox"/> |
| Floor nozzle stainless steel AISI 316L DN-F40             | 55 | 9.989-914.0 |             | <input type="checkbox"/> |
| Floor nozzle stainless steel AISI 316L DN-F50             | 56 | 9.989-915.0 |             | <input type="checkbox"/> |

■ Included in the scope of supply.    □ Available accessories.

## ACCESSORIES FOR IVM 40/24-2

### 9.989-906.0



|                                                         |    | Order no.   | Description |                          |
|---------------------------------------------------------|----|-------------|-------------|--------------------------|
| <b>NOZZLES</b>                                          |    |             |             |                          |
| <b>Floor nozzles</b>                                    |    |             |             |                          |
| Floor nozzle stainless steel 400 mm DN-F40              | 57 | 9.989-934.0 |             | <input type="checkbox"/> |
| Floor nozzle stainless steel 400 mm DN-F50              | 58 | 9.989-935.0 |             | <input type="checkbox"/> |
| Floor nozzle aluminium 400 mm DN-F40                    | 59 | 9.989-936.0 |             | <input type="checkbox"/> |
| Floor nozzle aluminium 400 mm DN-F50                    | 60 | 9.989-937.0 |             | <input type="checkbox"/> |
| <b>Wide nozzles</b>                                     |    |             |             |                          |
| Lane nozzle set                                         | 61 | 9.991-032.0 |             | <input type="checkbox"/> |
| <b>Flexible crevice nozzles</b>                         |    |             |             |                          |
| Crevice nozzle flexible silicone FDA DN-F50 transparent | 62 | 9.989-847.0 |             | <input type="checkbox"/> |
| Crevice nozzle flexible silicone FDA DN-F40 transparent | 63 | 9.989-848.0 |             | <input type="checkbox"/> |
| <b>Surface nozzles</b>                                  |    |             |             |                          |
| Silicone surface nozzle FDA blue DN-F40                 | 64 | 9.989-849.0 |             | <input type="checkbox"/> |
| Silicone surface nozzle FDA blue DN-F50                 | 65 | 9.989-850.0 |             | <input type="checkbox"/> |
| Silicone surface nozzle FDA green DN-F40                | 66 | 9.989-851.0 |             | <input type="checkbox"/> |
| Silicone surface nozzle FDA green DN-F50                | 67 | 9.989-852.0 |             | <input type="checkbox"/> |
| Silicone surface nozzle FDA red DN-F40                  | 68 | 9.989-853.0 |             | <input type="checkbox"/> |
| Silicone surface nozzle FDA red DN-F50                  | 69 | 9.989-854.0 |             | <input type="checkbox"/> |
| Silicone surface nozzle FDA transparent DN-F40          | 70 | 9.989-855.0 |             | <input type="checkbox"/> |

☐ Available accessories.

ACCESSORIES FOR IVM 40/24-2  
9.989-906.0



70-71



72-73



74-75



76-77



78-79



80-81



82-83



84-85

|                                                |    | Order no.   | Description |                          |
|------------------------------------------------|----|-------------|-------------|--------------------------|
| NOZZLES                                        |    |             |             |                          |
| Surface nozzles                                |    |             |             |                          |
| Silicone surface nozzle FDA transparent DN-F50 | 71 | 9.989-856.0 |             | <input type="checkbox"/> |
| Silicone surface nozzle FDA white DN-F40       | 72 | 9.989-857.0 |             | <input type="checkbox"/> |
| Silicone surface nozzle FDA white DN-F50       | 73 | 9.989-858.0 |             | <input type="checkbox"/> |
| Silicone surface nozzle FDA yellow DN-F40      | 74 | 9.989-859.0 |             | <input type="checkbox"/> |
| Silicone surface nozzle FDA yellow DN-F50      | 75 | 9.989-860.0 |             | <input type="checkbox"/> |
| BRUSHES                                        |    |             |             |                          |
| End brushes                                    |    |             |             |                          |
| Brush FDA blue ø 75 mm DN-F40                  | 76 | 9.989-873.0 |             | <input type="checkbox"/> |
| Brush FDA blue ø 75 mm DN-F50                  | 77 | 9.989-874.0 |             | <input type="checkbox"/> |
| Brush FDA green ø 75 mm DN-F40                 | 78 | 9.989-875.0 |             | <input type="checkbox"/> |
| Brush FDA green ø 75 mm DN-F50                 | 79 | 9.989-876.0 |             | <input type="checkbox"/> |
| Brush FDA red ø 75 mm DN-F40                   | 80 | 9.989-877.0 |             | <input type="checkbox"/> |
| Brush FDA red ø 75 mm DN-F50                   | 81 | 9.989-878.0 |             | <input type="checkbox"/> |
| Brush FDA white ø 75 mm DN-F40                 | 82 | 9.989-879.0 |             | <input type="checkbox"/> |
| Brush FDA white ø 75 mm DN-F50                 | 83 | 9.989-880.0 |             | <input type="checkbox"/> |
| Brush FDA yellow ø 75 mm DN-F40                | 84 | 9.989-881.0 |             | <input type="checkbox"/> |

☐ Available accessories.

## ACCESSORIES FOR IVM 40/24-2

### 9.989-906.0



|                                      |    | Order no.   | Description |                          |
|--------------------------------------|----|-------------|-------------|--------------------------|
| <b>BRUSHES</b>                       |    |             |             |                          |
| <b>End brushes</b>                   |    |             |             |                          |
| Brush FDA yellow ø 75 mm DN-F50      | 85 | 9.989-882.0 |             | <input type="checkbox"/> |
| <b>Cylinder brushes</b>              |    |             |             |                          |
| Cylinder brush ø 100 mm DN-F40       | 86 | 9.989-922.0 |             | <input type="checkbox"/> |
| Cylinder brush ø 200 mm DN-F40       | 87 | 9.989-923.0 |             | <input type="checkbox"/> |
| Cylinder brush ø 100 mm DN-F50       | 88 | 9.989-925.0 |             | <input type="checkbox"/> |
| Cylinder brush ø 200 mm DN-F50       | 89 | 9.989-926.0 |             | <input type="checkbox"/> |
| <b>HOSES</b>                         |    |             |             |                          |
| <b>ME hoses</b>                      |    |             |             |                          |
| Hose ME DN40 3 m                     | 90 | 9.989-976.0 |             | <input type="checkbox"/> |
| Hose ME DN40 5 m                     | 91 | 9.989-977.0 |             | <input type="checkbox"/> |
| Hose without connection ME DN40 15 m | 92 | 9.989-978.0 |             | <input type="checkbox"/> |
| Hose ME DN50 3 m                     | 93 | 9.989-979.0 |             | <input type="checkbox"/> |
| Hose ME DN50 5 m                     | 94 | 9.989-980.0 |             | <input type="checkbox"/> |
| <b>PVC</b>                           |    |             |             |                          |
| Hose PVC DN40 3 m                    | 95 | 9.989-962.0 |             | <input type="checkbox"/> |
| Hose PVC DN40 5 m                    | 96 | 9.989-963.0 |             | <input type="checkbox"/> |
| Hose PVC DN50 3 m                    | 97 | 9.989-964.0 |             | <input type="checkbox"/> |
| Hose PVC DN50 5 m                    | 98 | 9.989-965.0 |             | <input type="checkbox"/> |

☐ Available accessories.

## ACCESSORIES FOR IVM 40/24-2

### 9.989-906.0



|                                                    |     | Order no.   | Description                                                                                                                                                                                              |                          |
|----------------------------------------------------|-----|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| <b>HOSES</b>                                       |     |             |                                                                                                                                                                                                          |                          |
| <b>EVA hoses</b>                                   |     |             |                                                                                                                                                                                                          |                          |
| Hose EVA DN40 3 m                                  | 99  | 9.989-982.0 |                                                                                                                                                                                                          | <input type="checkbox"/> |
| Hose EVA DN40 5 m                                  | 100 | 9.989-983.0 |                                                                                                                                                                                                          | <input type="checkbox"/> |
| Hose EVA DN50 3 m                                  | 101 | 9.989-984.0 |                                                                                                                                                                                                          | <input type="checkbox"/> |
| Hose EVA DN50 5 m                                  | 102 | 9.989-985.0 |                                                                                                                                                                                                          | <input type="checkbox"/> |
| <b>Hose installation sets</b>                      |     |             |                                                                                                                                                                                                          |                          |
| Hose connection kit, stainless steel AISI 304 DN40 | 103 | 9.989-986.0 | Hose connection kit in nominal width DN 40, made of stainless steel. Contents: 1 hose connection piece, 1 hose connection (rotating), 2 hose clamps, 2 hose end pieces (black), 1 flat bag (PE plastic). | <input type="checkbox"/> |
| Hose connection kit, stainless steel AISI 304 DN50 | 104 | 9.989-987.0 | Hose connection kit in nominal width DN 50, made of stainless steel. Contents: 1 hose connection piece, 1 hose connection (rotating), 2 hose clamps, 2 hose end pieces (black), 1 flat bag (PE plastic). | <input type="checkbox"/> |
| <b>PU hoses</b>                                    |     |             |                                                                                                                                                                                                          |                          |
| Hose PU DN40 3 m                                   | 105 | 9.989-966.0 |                                                                                                                                                                                                          | <input type="checkbox"/> |
| Hose PU DN40 5 m                                   | 106 | 9.989-967.0 |                                                                                                                                                                                                          | <input type="checkbox"/> |
| Hose PU DN50 3 m                                   | 107 | 9.989-968.0 |                                                                                                                                                                                                          | <input type="checkbox"/> |
| Hose PU DN50 5 m                                   | 108 | 9.989-969.0 |                                                                                                                                                                                                          | <input type="checkbox"/> |
| Hose PU FDA DN40 3 m                               | 109 | 9.989-970.0 |                                                                                                                                                                                                          | <input type="checkbox"/> |
| Hose PU FDA DN40 5 m                               | 110 | 9.989-971.0 |                                                                                                                                                                                                          | <input type="checkbox"/> |
| Hose PU FDA DN40 15 m                              | 111 | 9.989-972.0 |                                                                                                                                                                                                          | <input type="checkbox"/> |
| Hose PU FDA DN50 3 m                               | 112 | 9.989-973.0 |                                                                                                                                                                                                          | <input type="checkbox"/> |

☐ Available accessories.

## ACCESSORIES FOR IVM 40/24-2 9.989-906.0



109-113



114



116



117-119



120-121



122

|                                                  |     | Order no.   | Description |                          |
|--------------------------------------------------|-----|-------------|-------------|--------------------------|
| <b>HOSES</b>                                     |     |             |             |                          |
| <b>PU hoses</b>                                  |     |             |             |                          |
| Hose PU FDA DN50 5 m                             | 113 | 9.989-974.0 |             | <input type="checkbox"/> |
| Hose PU FDA DN50 15 m                            | 114 | 9.989-975.0 |             | <input type="checkbox"/> |
| <b>ME-PU-hoses</b>                               |     |             |             |                          |
| Hose without connection ME DN50 15 m             | 115 | 9.989-981.0 |             | <input type="checkbox"/> |
| <b>ADAPTERS / REDUCERS / DISTRIBUTORS</b>        |     |             |             |                          |
| <b>Accessories adapter</b>                       |     |             |             |                          |
| Adapter DN70 auf Bajonett 2.0 elektr. leitend    | 116 | 9.990-874.0 |             | <input type="checkbox"/> |
| <b>Reducers/expanders</b>                        |     |             |             |                          |
| Reducer in AISI 304 stainless steel DN50 to DN40 | 117 | 9.989-893.0 |             | <input type="checkbox"/> |
| Stainless steel reducer DN 70 to DN 50           | 118 | 9.989-712.0 |             | <input type="checkbox"/> |
| Stainless steel reducer DN 70 to DN 40           | 119 | 9.989-713.0 |             | <input type="checkbox"/> |
| <b>Distributor</b>                               |     |             |             |                          |
| AISI 304 stainless steel manifold DN70 to DN50   | 120 | 9.989-894.0 |             | <input type="checkbox"/> |
| AISI 304 stainless steel manifold DN70 to DN40   | 121 | 9.989-895.0 |             | <input type="checkbox"/> |
| <b>FILTERS</b>                                   |     |             |             |                          |
| <b>Bag/star filter</b>                           |     |             |             |                          |
| Star filter PE/PTFE M 1,6m² sealed seams         | 122 | 9.990-018.0 |             | <input type="checkbox"/> |

☐ Available accessories.