

**Safety data sheet
according to UK REACH**

Printing date 13.02.2026

Version number 2 (replaces version 1)

Revision: 12.10.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier****Trade name:** Interior cleaner RM 651**1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

Application of the substance / the mixture Detergent**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:****Alfred Kärcher SE & Co. KG**

Alfred-Kärcher-Str. 28-40

D - 71364 Winnenden

Tel.: +49-7195-14-0

Kärcher (UK) Ltd.

Kärcher House

Brookhill Way

Banbury

Oxon OX16 3ED

Great Britain

Tel.: +44-1295-752-000

Internet: www.karcher.com**Further information obtainable from:**

Regulatory Affairs

Tel.: +49-7195-14-0

productsafety.management.de@karcher.com**1.4 Emergency telephone number:**

For Hazardous Materials [or Dangerous Goods] Incidents

Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1-703-527-3887 (collect calls accepted)

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

The product is not classified, according to the GB CLP regulation.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008** Void**Hazard pictograms** Void**Signal word** Void**Hazard statements** Void

(Contd. on page 2)

Safety data sheet according to UK REACH

Printing date 13.02.2026

Version number 2 (replaces version 1)

Revision: 12.10.2022

Trade name: Interior cleaner RM 651

(Contd. of page 1)

- Precautionary statements**

P102 Keep out of reach of children.

- Additional information:**

Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures**

- Description:** Mixture of substances listed below with non-hazardous additions.

- Dangerous components:**

CAS: 57-55-6 EINECS: 200-338-0 Reg.nr.: 01-2119456809-23-xxxx	Propylene glycol substance with a Community workplace exposure limit	1-5%
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 Reg.nr.: 01-2119457558-25-xxxx	propan-2-ol ⚠ Flam. Liq. 2, H225; ⚠ Eye Irrit. 2, H319; STOT SE 3, H336	1-5%
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6	1,2-benzisothiazol-3(2H)-one ⚠ Acute Tox. 2, H330; ⚠ Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 ATE: LD50 oral: 450 mg/kg LC50/4 h inhalative: 0.21 mg/l Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.036 %	<0.05%

- Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures**

- General information** No special measures required.

- After inhalation** Supply fresh air; consult doctor in case of complaints.

- After skin contact** Generally the product does not irritate the skin.

- After eye contact** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing**

Rinse out mouth and then drink plenty of water.

Seek immediate medical advice.

If symptoms persist consult doctor.

- 4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

- 4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

GB

(Contd. on page 3)

**Safety data sheet
according to UK REACH**

Printing date 13.02.2026

Version number 2 (replaces version 1)

Revision: 12.10.2022

Trade name: Interior cleaner RM 651

(Contd. of page 2)

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.
- **Additional information**
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required
- **6.2 Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
Do not allow to penetrate the ground/soil.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).
- **6.4 Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special measures required.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required
- **Further information about storage conditions:** Protect from frost.
- **7.3 Specific end use(s)** No further relevant information available.

GB

(Contd. on page 4)

Safety data sheet according to UK REACH

Printing date 13.02.2026

Version number 2 (replaces version 1)

Revision: 12.10.2022

Trade name: Interior cleaner RM 651

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

57-55-6 Propylene glycol

WEL Long-term value: 474* 10** mg/m³, 150* ppm
*total vapour and particulates **particulates

67-63-0 propan-2-ol

WEL Short-term value: 1250 mg/m³, 500 ppm
Long-term value: 999 mg/m³, 400 ppm

DNELs

67-63-0 propan-2-ol

Oral	DNEL	26 mg/kg×d (consumer)
Dermal	DNEL	888 mg/kg×d (employee)
		319 mg/kg×d (consumer)
Inhalative	DNEL	500 mg/m ³ (employee)
		89 mg/m ³ (consumer)

PNECs

67-63-0 propan-2-ol

PNEC	140.9 mg/l (freshwater)
	140.9 mg/l (marine water)
	140.9 mg/l (STP)
	2251 mg/l (STP)
PNEC sediment	552 mg/kg (freshwater)
	552 mg/kg (marine water)
PNEC soil	28 mg/kg (soil)

8.2 Exposure controls

- Appropriate engineering controls** No further data; see section 7.
- Individual protection measures, such as personal protective equipment**
- General protective and hygienic measures** Do not eat, drink, smoke or sniff while working.
- Respiratory protection:** Not necessary if room is well-ventilated.
- Hand protection** Not required
- Material of gloves** Not required
- Penetration time of glove material** Not required
- Eye/face protection** Goggles recommended during refilling.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- General Information**
- Physical state**

Liquid

(Contd. on page 5)

Safety data sheet according to UK REACH

Printing date 13.02.2026

Version number 2 (replaces version 1)

Revision: 12.10.2022

Trade name: Interior cleaner RM 651

(Contd. of page 4)

· Colour:	Colourless
· Odour:	Fruit-like
· Odour threshold:	Not determined
· Melting point/freezing point:	undetermined
· Boiling point or initial boiling point and boiling range	undetermined
· Flammability	Not applicable
· Lower and upper explosion limit	
· Lower:	Not determined
· Upper:	Not determined
· Flash point:	Not applicable
· Auto-ignition temperature:	not applicable
· Decomposition temperature:	Not determined
· pH at 20 °C	9.4
· Viscosity:	
· Kinematic viscosity	Not determined
· dynamic:	Not determined
· Solubility	
· Water:	Fully miscible
· Partition coefficient n-octanol/water (log value)	Not determined
· Vapour pressure at 20 °C:	23 hPa
· Density and/or relative density	
· Density at 20 °C:	1 g/cm ³
· Relative density	Not determined
· Vapour density	Not determined
· Relative gas density	Not determined
· Particle characteristics	Not applicable

· 9.2 Other information

· Appearance:	
· Form:	Fluid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Change in condition	
· Evaporation rate	Not determined

· Information with regard to physical hazard classes

· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void

(Contd. on page 6)

Safety data sheet according to UK REACH

Printing date 13.02.2026

Version number 2 (replaces version 1)

Revision: 12.10.2022

Trade name: Interior cleaner RM 651

(Contd. of page 5)

- | | |
|---|------|
| · Self-heating substances and mixtures | Void |
| · Substances and mixtures, which emit flammable gases in contact with water | Void |
| · Oxidising liquids | Void |
| · Oxidising solids | Void |
| · Organic peroxides | Void |
| · Corrosive to metals | Void |
| · Desensitised explosives | Void |

SECTION 10: Stability and reactivity

- **10.1 Reactivity** corresponds to 10.3
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

67-63-0 propan-2-ol

Oral	LD50	5840 mg/kg (Rat) (OECD 401)
Dermal	LD50	13900 mg/kg (Rabbit) (OECD 402)

2372-82-9 N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine

Oral	LD50	261 mg/kg (Rat) (OECD 401)
------	------	----------------------------

3811-73-2 sodium pyrithione

Oral	LD50	500 mg/kg (ATE)
Dermal	LD50	790 mg/kg (ATE)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 7)

Safety data sheet according to UK REACH

Printing date 13.02.2026

Version number 2 (replaces version 1)

Revision: 12.10.2022

Trade name: Interior cleaner RM 651

(Contd. of page 6)

- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

· Endocrine disrupting properties

128-37-0 Butylated hydroxytoluene

List II

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

67-63-0 propan-2-ol

LC50/96 h	9640 mg/l (Pimephales promelas)
EC50/48 h	13299 mg/l (Daphnia magna)
EC50/72 h	>1000 mg/l (Desmodesmus subspicatus)
EC10/18 h	>1000 mg/l (Pseudomonas putida) (DIN 38412)

2372-82-9 N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine

LC50/96 h	0.68 mg/l (F26) (OECD 203)
	0.45 mg/l (Lepomis macrochirus) (US-EPA)
EC50/48 h	0.073 mg/l (Daphnia magna) (US-EPA)
ErC50/96h	0.054 mg/l (Pseudokirchneriella subcapitata)
NOEC	0.024 mg/l (Daphnia magna) (OECD 211, 21d)

3811-73-2 sodium pyrithione

LC50/96 h	0.00767 mg/l (Danio rerio) (OECD 203)
EC50/48 h	0.022 mg/l (Daphnia magna) (OECD 202)
EC50/72 h	0.46 mg/l (F29) (OECD 201)
NOEC	0.08 mg/l // 72 h (F29) (OECD 201)

- **12.2 Persistence and degradability** No further relevant information available.

- **12.3 Bioaccumulative potential** No further relevant information available.

- **12.4 Mobility in soil** No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable

- **vPvB:** Not applicable

- **12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.

(Contd. on page 8)

Safety data sheet according to UK REACH

Printing date 13.02.2026

Version number 2 (replaces version 1)

Revision: 12.10.2022

Trade name: Interior cleaner RM 651

(Contd. of page 7)

- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**

- **Recommendation**

Smaller quantities can be disposed of with household waste.

Hand over to hazardous waste disposers.

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

- **European waste catalogue**

20 01 30	detergents other than those mentioned in 20 01 29
----------	---

- **Uncleaned packaging:**

- **Recommendation:**

Non contaminated packagings may be recycled.

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

- **Recommended cleansing agents:** Water, if necessary together with cleaning agents.

SECTION 14: Transport information

- **14.1 UN number or ID number**

· ADR, IMDG, IATA	Void
--------------------------	------

- **14.2 UN proper shipping name**

· ADR, IMDG, IATA	Void
--------------------------	------

- **14.3 Transport hazard class(es)**

· ADR, ADN, IMDG, IATA	Void
· Class	

- **14.4 Packing group**

· ADR, IMDG, IATA	Void
--------------------------	------

· 14.5 Environmental hazards:	Not applicable
--------------------------------------	----------------

· 14.6 Special precautions for user	Not applicable
--	----------------

(Contd. on page 9)

Safety data sheet according to UK REACH

Printing date 13.02.2026

Version number 2 (replaces version 1)

Revision: 12.10.2022

Trade name: Interior cleaner RM 651

(Contd. of page 8)

· **14.7 Maritime transport in bulk according to IMO instruments** Not applicable

· **UN "Model Regulation":** Void

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
A product information sheet can be provided if requested.

· **Relevant phrases**

H225 Highly flammable liquid and vapour.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H330 Fatal if inhaled.
H336 May cause drowsiness or dizziness.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

· **Contact:**

Regulatory Affairs
Tel.: +49-7195-14-0
productsafety.management.de@karcher.com

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
ATE: Acute toxicity estimate values

(Contd. on page 10)

**Safety data sheet
according to UK REACH**

Printing date 13.02.2026

Version number 2 (replaces version 1)

Revision: 12.10.2022

Trade name: Interior cleaner RM 651*(Contd. of page 9)*

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 2: Acute toxicity – Category 2

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

· *** Data compared to the previous version altered.**

· 0·011·066·0

RM 651/1

2·600

GB