

Printing date 28.02.2025 Version number 7 (replaces version 6) Revision: 21.11.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: PressurePro Descaling Acid RM 101
- · UFI: 37H0-U074-500K-UCM7
- 1.2 Relevant identified uses of the substance or mixture and uses advised against Restricted to professional users.
- · Application of the substance / the mixture Descalant
- 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG

Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Karcher Ltd

Unit 3 Redcow Retail Centre Robinhood Road, Ballymount Dublin 22 D22 PY03

Tel.: +353 1 409 7777

Internet: www.karcher.com

Further information obtainable from:

Regulatory Affairs
Tel.: +49-7195-14-0

productsafety.management.de@karcher.com

· 1.4 Emergency telephone number:

Emergency medical information: 8am-10pm (seven days) contact National Poisons Information Centre, Beaumont

Hospital, Dublin 9 DOV2NO, Ireland. Telephone Number: +353 (0)1 809 2166

For Hazardous Materials [or Dangerous Goods] Incidents

Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

(Contd. on page 2)



Printing date 28.02.2025 Version number 7 (replaces version 6) Revision: 21.11.2022

Trade name: PressurePro Descaling Acid RM 101

(Contd. of page 1)

STOT SE 3 H335 May cause respiratory irritation.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms





GHS05 GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

hydrochloric acid

· Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.
- Determination of endocrine-disrupting properties Not applicable.

SECTION 3: Composition/information on ingredients

- 3.1 Substances
- · CAS No. Description:

7647-01-0 hydrochloric acid

- ! Identification number(s):
- · EC number: 231-595-7
- · Index number: 017-002-01-X
- · 3.2 Mixtures
- · **Description:** Mixture consisting of the following components.

(Contd. on page 3)



Printing date 28.02.2025 Version number 7 (replaces version 6) Revision: 21.11.2022

Trade name: PressurePro Descaling Acid RM 101

		(Contd. of page 2)
Dangerous components:		
CAS: 7647-01-0 EINECS: 231-595-7 Index number: 017-002-00-2 Reg.nr.: 01-2119484862-27-xxxx	hydrochloric acid Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318; STOT SE 3, H335 Specific concentration limits: Skin Corr. 1A; H314: C ≥ 25 % Skin Corr. 1B; H314: 10 % ≤ C < 25 % Eye Dam. 1; H318: C ≥ 1 % STOT SE 3; H335: C ≥ 10 %	≥20-<25%
CAS: 308062-28-4 EC number: 931-292-6 Reg.nr.: 01-2119490061-47-XXXX	dodecyldimethylamine oxide Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315	≥0.1-<0.25%

[·] Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information

Involve doctor immediately.

Immediately remove any clothing soiled by the product.

· After inhalation

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

· After skin contact

Call a doctor immediately.

Immediately wash with water and soap and rinse thoroughly.

- · After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing

Rinse out mouth and then drink plenty of water.

Seek immediate medical advice.

Do not induce vomiting; call for medical help immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture Hydrogen chloride (HCI)

(Contd. on page 4)



Printing date 28.02.2025 Version number 7 (replaces version 6) Revision: 21.11.2022

Trade name: PressurePro Descaling Acid RM 101

(Contd. of page 3)

- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid contact with eyes and skin.

- · Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Keep away from food, beverages and feed.
- · Further information about storage conditions:

Store under lock and key and out of the reach of children.

Keep receptacle tightly sealed.

· 7.3 Specific end use(s) No further relevant information available.

— IE



Printing date 28.02.2025 Version number 7 (replaces version 6) Revision: 21.11.2022

Trade name: PressurePro Descaling Acid RM 101

(Contd. of page 4)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

· Ingre	Ingredients with limit values that require monitoring at the workplace:	
7647	-01-0 hydrochloric acid	
	Short-term value: 15 mg/m³, 10 ppm	
	Long-term value: 8 mg/m³, 5 ppm IOELV	
DNE	17	

Dermal DNEL 11 mg/kg×d (employee) Inhalative DNEL 15.5 mg/m3 (Employee)

· PNECs

308062-28-4 dodecyldimethylamine oxide

PNEC	24 mg/l (STP) (Assessment factor: 1)	
PNEC sediment	at 5.24 mg/kg (freshwater) (sediment dw)	
	0.524 mg/kg (marine water) (sediment dw)	
PNEC soil	1.02 mg/kg	
PNEC aqua	0.034 mg/l (freshwater) (Assessment factor: 2)	
	0.003 mg/l (marine water) (Assessment factor: 20)	

8.2 Exposure controls

- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Respiratory protection:

Short term filter device:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Filter A/P2.

· Hand protection

* chemical resistant protective gloves (EN 374)

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



· Material of gloves Butyl rubber, BR

(Contd. on page 6)



Printing date 28.02.2025 Version number 7 (replaces version 6) Revision: 21.11.2022

Trade name: PressurePro Descaling Acid RM 101

(Contd. of page 5)

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Not determined.

- For the permanent contact gloves made of the following materials are suitable:
- * butyl rubber 0,7 mm, 480 min (EN 374)
- As protection from splashes gloves made of the following materials are suitable:
- * nitril rubber 0,4 mm, 30 min (EN 374)
- · Eye/face protection



Tightly sealed goggles (EN 166)

· Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

· Physical state Liquid · Colour: Light red · Odour: Pungent · Odour threshold: Not determined.

· Melting point/freezing point: undetermined Boiling point or initial boiling point and boiling range 100 °C

· Flammability Not applicable.

· Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined. · Flash point: Not applicable · Auto-ignition temperature: not applicable · Decomposition temperature: Not determined.

pH at 20 °C · pH-value 1 %: 0-2

· Viscosity:

Kinematic viscosity Not determined. · dynamic: Not determined.

· Solubility

· Water: Fully miscible · Partition coefficient n-octanol/water (log value) Not determined.

· Vapour pressure:

Density and/or relative density

Density at 20 °C: 1.108 g/cm³ Relative density Not determined. · Vapour density Not determined. · Relative gas density Not determined. Particle characteristics Not applicable.

(Contd. on page 7)



Printing date 28.02.2025 Version number 7 (replaces version 6) Revision: 21.11.2022

Trade name: PressurePro Descaling Acid RM 101

(Contd. of page 6)

9.2 Other information

· Appearance:

· Form: Fluid

Important information on protection of health and environment, and on safety.

• **Ignition temperature:** Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Change in condition

• Evaporation rate Not determined.

Information with regard to physical hazard classes

· Explosives Void · Flammable gases Void · Aerosols Void Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases

in contact with water Void
Oxidising liquids Void
Oxidising solids Void
Organic peroxides Void

· Corrosive to metals May be corrosive to metals.

· Desensitised explosives Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity corresponds to 10.3
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· 10.3 Possibility of hazardous reactions

Reacts with strong alkali

Forms hydrogen in aqueous solution with metals

Reacts with light alloys to form hydrogen

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 8)



Printing date 28.02.2025 Version number 7 (replaces version 6) Revision: 21.11.2022

Trade name: PressurePro Descaling Acid RM 101

(Contd. of page 7)

· 10.6 Hazardous decomposition products:

Hydrogen chloride (HCI)

Chlorine

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC	0 valu	es relevant for classification:
308062	-28-4 c	lodecyldimethylamine oxide
Oral	LD50	1064 mg/kg (Rat)
Dermal	LD50	>2000 mg/kg (Rat)

- · Primary irritant effect:
- · Skin corrosion/irritation Causes severe skin burns and eye damage.
- · Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure May cause respiratory irritation.
- * STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic to	· Aquatic toxicity:	
7647-01-0	7647-01-0 hydrochloric acid	
LC50/96 h	3.25 mg/l (Lepomis macrochirus)	
EC50/48 h	4.92 mg/l (Daphnia magna)	
EC50	0.23 mg/l (STP)	
308062-28-	308062-28-4 dodecyldimethylamine oxide	
LC50/96 h	2.67 mg/l (fish)	
EC50/48 h	3.1 mg/l (Daphnia magna)	
EC10/18 h	24 mg/l (Pseudomonas putida)	
ErC50/72h	0.143 mg/l (Pseudokirchneriella subcapitata)	
NOEC	0.42 mg/l (Pimephales promelas)	
	(Contd. on page 9)	

Contd. on page 9



Printing date 28.02.2025 Version number 7 (replaces version 6) Revision: 21.11.2022

Trade name: PressurePro Descaling Acid RM 101

0.067 mg/l (Water plants)
0.7 mg/l (Daphnia magna)

- · 12.2 Persistence and degradability No further relevant information available.
- Degree of elimination:

308062-28-4 dodecyldimethylamine oxide

OECD 301B 90 % (28 d)

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- Additional ecological information:
- · COD-value: 9.000 mg/l
- · General notes:

The product does not contain organically bounded halogens (AOX-free).

The product does not contain organic complexing agents.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

European waste catalogue

20 01 29* detergents containing hazardous substances

- Uncleaned packaging:
- · Recommendation:

Non contaminated packagings may be recycled.

(Contd. on page 10)



Printing date 28.02.2025 Version number 7 (replaces version 6) Revision: 21.11.2022

Trade name: PressurePro Descaling Acid RM 101

(Contd. of page 9)

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents: Water, if necessary together with cleaning agents.

SECTION 14: Transport information	
· 14.1 UN number or ID number · ADR, IMDG, IATA	UN1789
· 14.2 UN proper shipping name · ADR · IMDG, IATA	1789 HYDROCHLORIC ACID HYDROCHLORIC ACID
14.3 Transport hazard class(es)	
· ADR	
· Class · Label	8 (C1) Corrosive substances.
	o
· IMDG, IATA	
Class	8 Corrosive substances.
· Label	8
· 14.4 Packing group · ADR, IMDG, IATA	II
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Segregation groups · Stowage Category	Warning: Corrosive substances. 80 F-A,S-B (SGG1) Acids E
14.7 Maritime transport in bulk according to I instruments	MO Not applicable.

(Contd. on page 11)



Printing date 28.02.2025 Version number 7 (replaces version 6) Revision: 21.11.2022

Trade name: PressurePro Descaling Acid RM 101

	(Contd. of page 10)
Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· Transport category	2
· Tunnel restriction code	E
·IMDG	
· Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
,	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1789 HYDROCHLORIC ACID, 8, II

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · REGULATION (EU) 2019/1148
- · Regulation (EC) No 273/2004 on drug precursors

7647-01-0 hydrochloric acid

3

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

7647-01-0 hydrochloric acid

3

- National regulations
- Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

A product information sheet can be provided if requested.

· Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed.

(Contd. on page 12)

(Contd. of page 11)



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 28.02.2025 Version number 7 (replaces version 6) Revision: 21.11.2022

Trade name: PressurePro Descaling Acid RM 101

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

· Classification according to Regulation (EC) No 1272/2008	
Corrosive to metals	On basis of test data
Skin corrosion/irritation Serious eye damage/irritation Specific target organ toxicity (single exposure)	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· Contact:

Regulatory Affairs Tel.: +49-7195-14-0

productsafety.management.de@karcher.com

· Version number of previous version: 6

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Met. Corr.1: Corrosive to metals – Category 1 Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

* Data compared to the previous version altered.

· 0·011-132·0 RM 101/8 2·431

·IE