

Printing date 21.03.2025 Version number 14 (replaces version 13) Revision: 17.03.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: FloorPro Deep Cleaner, acidic RM 751
- · UFI: GVU0-K0TC-400X-VPV7
- 1.2 Relevant identified uses of the substance or mixture and uses advised against Restricted to professional users.
- · Application of the substance / the mixture Detergent
- 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG

Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Karcher Ltd

Unit 3 Redcow Retail Centre Robinhood Road, Ballymount Dublin 22 D22 PY03

Tel.: +353 1 409 7777

Internet: www.karcher.com

Further information obtainable from:

Regulatory Affairs
Tel.: +49-7195-14-0
productsafety.management.de@karcher.com

· 1.4 Emergency telephone number:

Emergency medical information: 8am-10pm (seven days) contact National Poisons Information Centre, Beaumont Hospital, Dublin 9 DOV2NO, Ireland.

Telephone Number: +353 (0)1 809 2166

For Hazardous Materials [or Dangerous Goods] Incidents

Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1 H314 Causes severe skin burns and eye damage.

(Contd. on page 2)



Printing date 21.03.2025 Version number 14 (replaces version 13) Revision: 17.03.2025

Trade name: FloorPro Deep Cleaner, acidic RM 751

(Contd. of page 1)

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS0

- Signal word Danger
- · Hazard-determining components of labelling:

Phosphoric acid, mixed esters with Bu alc. and ethylene glycol

· Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Determination of endocrine-disrupting properties Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Cleaning agent

Dangerous components:		
CAS: 5329-14-6 EINECS: 226-218-8 Index number: 016-026-00-0 Reg.nr.: 01-2119488633-28-xxxx	sulphamic acid Skin Irrit. 2, H315; Eye Irrit. 2, H319; Aquatic Chronic 3, H412	10-20%
CAS: 112-34-5 EINECS: 203-961-6 Index number: 603-096-00-8 Reg.nr.: 01-2119475104-44-xxxx	2-(2-butoxyethoxy)ethanol © Eye Irrit. 2, H319	1-5%

(Contd. on page 3)



Printing date 21.03.2025 Version number 14 (replaces version 13) Revision: 17.03.2025

Trade name: FloorPro Deep Cleaner, acidic RM 751

	(Co	ntd. of page 2
	sodium p-cumenesulphonate © Eye Irrit. 2, H319	1-5%
	Phosphoric acid, mixed esters with Bu alc. and ethylene glycol Met. Corr.1, H290; Eye Dam. 1, H318	≥3-≤5%
	Alcohols, C12-15 branched and linear, ethoxylated, propoxylated Aquatic Acute 1, H400; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Aquatic Chronic 3, H412	≥1-<2.5%
	aliphatic alcohols, C9-C11, mostly linear, ethoxylated, butoxylated Skin Irrit. 2, H315; Eye Irrit. 2, H319; Aquatic Chronic 3, H412	0.1-1%
Regulation (EC) No 648/2004 of	on detergents / Labelling for contents	
phosphates, non-ionic surfactants		<5%

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information Immediately remove any clothing soiled by the product.
- · After inhalation

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

- After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• 5.2 Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 4)



Printing date 21.03.2025 Version number 14 (replaces version 13) Revision: 17.03.2025

Trade name: FloorPro Deep Cleaner, acidic RM 751

(Contd. of page 3)

- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid contact with eyes and skin.

- Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Keep away from food, beverages and feed.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 5)



Printing date 21.03.2025 Version number 14 (replaces version 13) Revision: 17.03.2025

Trade name: FloorPro Deep Cleaner, acidic RM 751

(Contd. of page 4)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

·Ingre	Ingredients with limit values that require monitoring at the workplace:		
112-3	112-34-5 2-(2-butoxyethoxy)ethanol		
	Short-term value: 101.2 mg/m³, 12 ppm Long-term value: 67.5 mg/m³, 10 ppm IOELV		
· DNEL	· DNELs		

Oral DNEL 3.8 mg/kg×d (consumer) Dermal DNEL 136.25 mg/kg×d (employee) 68.1 mg/kg×d (consumer) Inhalative DNEL 26.9 mg/m3 (employee) 6.6 mg/m3 (consumer)

·PNECs

15763-76-5 sodium p-cumenesulphonate		
PNEC	0.23 mg/l (freshwater)	
	0.023 mg/l (marine water)	
	100 mg/l (STP)	
PNEC sediment	0.862 mg/kg (freshwater)	
	0.086 mg/kg (marine water)	
PNEC soil	0.037 ma/ka (soil)	

8.2 Exposure controls

- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Filter A/P2.

· Hand protection



Protective gloves.

- · Material of gloves Butyl rubber, BR
- Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.



Printing date 21.03.2025 Version number 14 (replaces version 13) Revision: 17.03.2025

Trade name: FloorPro Deep Cleaner, acidic RM 751

(Contd. of page 5)

· Eye/face protection



Tightly sealed goggles (EN 166)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

· Physical state Liquid · Colour: Red

Odour: Product specificOdour threshold: Not determined.

· Melting point/freezing point: -1 °C

Boiling point or initial boiling point and boiling range
 Flammability
 undetermined
 Not applicable.

· Lower and upper explosion limit

Lower: Not determined.Upper: Not determined.Flash point: Not applicable

Auto-ignition temperature: not applicableDecomposition temperature: Not determined.

pH at 20 °C 0.7 pH-value 1 %: 1-3

· Viscosity:

• Kinematic viscosity Not determined.

· dynamic at 20 °C: 4 mPas

Solubility

Water: Fully miscible
 Partition coefficient n-octanol/water (log value)
 Not determined.

· Vapour pressure: Not determined.

Density and/or relative density

Density at 20 °C:
 Relative density
 Vapour density
 Relative gas density
 Particle characteristics

1.089 g/cm³
Not determined.
Not determined.
Not applicable.

9.2 Other information

· Appearance:

· Form: Fluid

Important information on protection of health and environment, and on safety.

· **Ignition temperature:** Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

(Contd. on page 7)



Printing date 21.03.2025 Version number 14 (replaces version 13) Revision: 17.03.2025

Trade name: FloorPro Deep Cleaner, acidic RM 751

	(Contd. of page 6
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classe	s
Explosives	Void
Flammable gases	Void
· Aerosols	Void
Oxidising gases	Void
· Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases	
in contact with water	Void
· Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	May be corrosive to metals.
Desensitised explosives	Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity corresponds to 10.3
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions Reacts with light alloys to form hydrogen
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

112-34-5 2-(2-butoxyethoxy)ethanol

Oral | LD50 | 2410 mg/kg (mouse) (OECD 401)

(Contd. on page 8)



Printing date 21.03.2025 Version number 14 (replaces version 13) Revision: 17.03.2025

Trade name: FloorPro Deep Cleaner, acidic RM 751

			(Contd. of page 7)
Dermal	LD50	2764 mg/kg (Rabbit)	
15763-7	6-5 so	odium p-cumenesulphonate	
Oral	LD50	>5000 mg/kg (Rat) (OECD 401)	
Dermal	LD50	>2000 mg/kg (Rabbit)	
84962-2	0-9 Pr	nosphoric acid, mixed esters with Bu alc. and ethylene glycol	
Oral	Oral LD50 3575 mg/kg (Rat) (OECD 401)		
111905-	111905-52-3 aliphatic alcohols, C9-C11, mostly linear, ethoxylated, butoxylated		
Oral	LD50	>2000-<5000 mg/kg (Rat)	

- · Primary irritant effect:
- · Skin corrosion/irritation Causes severe skin burns and eye damage.
- · Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- * STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:	
5329-14-6 sulphar	mic acid
LC50/96 h	70.3 mg/l (Pimephales promelas)
ErC50/72h	48 mg/l (Algae)
112-34-5 2-(2-but	oxyethoxy)ethanol
LC50/96 h	1300 mg/l (Lepomis macrochirus)
EC10/16 h	1170 mg/l (Pseudomonas putida)
EC50/24 h	2850 mg/l (Daphnia magna) (DIN 38412)
NOEC	>100 mg/l (Desmodesmus subspicatus)
15763-76-5 sodiui	m p-cumenesulphonate
LC50/96 h (static)	>100 mg/l (Oncorhynchus mykiss)
EC50/48 h (static)	>100 mg/l (Daphnia magna)
EC50/96 h (static)	>100 mg/l (Pseudokirchneriella subcapitata)
84962-20-9 Phosp	horic acid, mixed esters with Bu alc. and ethylene glycol
LC50/96 h	>100 mg/l (Brachydanio rerio) (OECD 203)
EC50/48 h	>100 mg/l (Daphnia magna) (OECD 202)
	(Contd. on page



Printing date 21.03.2025 Version number 14 (replaces version 13) Revision: 17.03.2025

Trade name: FloorPro Deep Cleaner, acidic RM 751

	(Co	ntd. of page 8)
ErC10/72h (static)	>100 mg/l (Desmodesmus subspicatus)	
ErC50/72h (static)	>100 mg/l (Desmodesmus subspicatus) (OECD 201)	
120313-48-6 Alcoh	hols, C12-15 branched and linear, ethoxylated, propoxylated	
LC50/96 h (static)	>0.1-1 mg/l (Brachydanio rerio)	
EC50/48 h	>1-10 mg/l (Aquatic invertebrates)	
EC50/72 h	>0.1-1 mg/l (Aquatic plants)	
EC10/72 h	>0.1-1 mg/l (Water plants)	
111905-52-3 aliph	atic alcohols, C9-C11, mostly linear, ethoxylated, butoxylated	
LC50/96 h	>1-<10 mg/l (Leuciscus idus)	
EC50	>1-<10 mg/l (Daphnia magna)	
	>10-<100 mg/l (Algae)	
NOEC	>0.1-<1 mg/l (Daphnia magna)	
	>0.1-<1 mg/l (Algae)	

· 12.2 Persistence and degradability No further relevant information available.

Degree of e	Degree of elimination:	
112-34-5 2-(2	P-butoxyethoxy)ethanol	
OECD 301C	80-90 % (28 d)	
OECD 301E	>70 % (28 d)	
OECD 302B	100 % (28 d)	

- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

The product does not contain organic complexing agents.

The product does not contain organically bounded halogens (AOX-free).

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.



Printing date 21.03.2025 Version number 14 (replaces version 13) Revision: 17.03.2025

Trade name: FloorPro Deep Cleaner, acidic RM 751

(Contd. of page 9)

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

· European waste catalogue

20 01 29* detergents containing hazardous substances

- Uncleaned packaging:
- Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents: Water, if necessary together with cleaning agents.

SECTION	14: Transr	oort information
---------	------------	------------------

14.1 UN number or ID number	
· ADR, IMDG, IATA	UN3264

· 14.2 UN proper shipping name

· **ADR** 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

8

(SULPHAMIC ACID)

· IMDG, IATA CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

(SULPHAMIC ACID)

· 14.3 Transport hazard class(es)

· ADR



· Class 8 (C1) Corrosive substances.

· Label 8

· IMDG, IATA



· Class 8 Corrosive substances.

· Label

14.4 Packing group

· ADR, IMDG, IATA

(Contd. on page 11)



Printing date 21.03.2025 Version number 14 (replaces version 13) Revision: 17.03.2025

Trade name: FloorPro Deep Cleaner, acidic RM 751

	(Contd. of page
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Corrosive substances.
Hazard identification number (Kemler code):	80
EMS Number:	F-A,S-B
Stowage Category	Α
Stowage Code	SW2 Clear of living quarters.
14.7 Maritime transport in bulk according to	IMO
instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
_ , ,	Maximum net quantity per outer packaging: 1000 ml
Transport category Tunnel restriction code	3
	E
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (SULPHAMIC ACID), 8, III

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 55
- National regulations
- · Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 12)



Printing date 21.03.2025 Version number 14 (replaces version 13) Revision: 17.03.2025

Trade name: FloorPro Deep Cleaner, acidic RM 751

(Contd. of page 11)

A product information sheet can be provided if requested.

· Relevant phrases

H290 May be corrosive to metals.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

· Classification according to Regulation (EC) No 1272/2008	
Corrosive to metals	On basis of test data
Skin corrosion/irritation Serious eye damage/irritation	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· Contact:

Regulatory Affairs

Tel.: +49-7195-14-0

productsafety.management.de@karcher.com

· Version number of previous version: 13

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Met. Corr.1: Corrosive to metals – Category 1

Skin Corr. 1: Skin corrosion/irritation – Category 1

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

* Data compared to the previous version altered.

· 0.011-136.0 RM 751/6 2.822

ΙE