

Printing date 06.06.2025 Version number 6 (replaces version 5) Revision: 10.05.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: FloorPro Multi Cleaner RM 756
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Detergent
- 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG

Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Karcher Ltd

Unit 3 Redcow Retail Centre Robinhood Road, Ballymount Dublin 22 D22 PY03

Tel.: +353 1 409 7777

Internet: www.karcher.com

· Further information obtainable from:

Regulatory Affairs
Tel.: +49-7195-14-0
productsafety.management.de@karcher.com

1.4 Emergency telephone number:

Emergency medical information: 8am-10pm (seven days) contact National Poisons Information Centre, Beaumont Hospital, Dublin 9 DOV2NO, Ireland.

Telephone Number: +353 (0)1 809 2166

For Hazardous Materials [or Dangerous Goods] Incidents

Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void

(Contd. on page 2)



Printing date 06.06.2025 Version number 6 (replaces version 5) Revision: 10.05.2023

Trade name: FloorPro Multi Cleaner RM 756

(Contd. of page 1)

- · Signal word Void
- · Hazard statements Void
- Additional information:

Safety data sheet available on request.

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT:

541-02-6 decamethylcyclopentasiloxane

· vPvB:

541-02-6 decamethylcyclopentasiloxane

Determination of endocrine-disrupting properties

Not applicable.

541-02-6 decamethylcyclopentasiloxane

List II

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
- **Description:** Mixture of substances listed below with non-hazardous additions.

CAS: 69011-36-5	isotridecanolethoxylate + 5 EO	≥2.5-<5%
EC number: 931-138-8	💠 Eye Irrit. 2, H319; Aquatic Chronic 3, H412	
CAS: 112-34-5	2-(2-butoxyethoxy)ethanol	1-5%
EINECS: 203-961-6	♦ Eye Irrit. 2, H319	1
Index number: 603-096-00-8		
Reg.nr.: 01-2119475104-44-xxxx		
CAS: 541-02-6	decamethylcyclopentasiloxane	≥0.1-≤1%
EINECS: 208-764-9	Non-classified vPvB substance.	
Reg.nr.: 01-2119511367-43-0000	Non-classified PBT substance.	
	Substance identified as having endocrine disrupting properties (II).	

·SVHC

541-02-6 decamethylcyclopentasiloxane

Regulation (EC) No 648/2004 on detergents / Labelling for contents			
non-ionic surfactants	≥5 - <15%		
amphoteric surfactants, anionic surfactants	<5%		
perfumes			

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.

(Contd. on page 3)



Printing date 06.06.2025 Version number 6 (replaces version 5) Revision: 10.05.2023

Trade name: FloorPro Multi Cleaner RM 756

(Contd. of page 2)

- · After skin contact Generally the product does not irritate the skin.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.

(Contd. on page 4)



Printing date 06.06.2025 Version number 6 (replaces version 5) Revision: 10.05.2023

Trade name: FloorPro Multi Cleaner RM 756

(Contd. of page 3)

- 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Keep away from food, beverages and feed.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

112-34-5 2-(2-butoxyethoxy)ethanol

OEL Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm IOELV

· PNECs

541-02-6 decamethylcyclopentasiloxane

PNEC	10 mg/l (STP) (Assessment factor: 100)
PNEC sediment	11 mg/kg (freshwater) (Assessment factor: 10)
	1.1 mg/kg (marine water) (Assessment factor: 100)
PNEC soil	2.54 mg/kg (Assessment factor: 50)
PNEC aqua	0.0012 mg/l (freshwater) (Assessment factor: 10)
	0.00012 mg/l (marine water) (Assessment factor: 100)

- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures Wash hands before breaks and at the end of work.
- · Respiratory protection: Not necessary if room is well-ventilated.
- Hand protection Not required.
- · Material of gloves Not required.
- Penetration time of glove material Not required.
- · Eye/face protection Not required.

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- General Information

Physical stateColour:Odour:Dark greenfresh

· Odour threshold: Not determined.

(Contd. on page 5)



Printing date 06.06.2025 Version number 6 (replaces version 5) Revision: 10.05.2023

Trade name: FloorPro Multi Cleaner RM 756

	(Contd. of page 4)
Melting point/freezing point:	-1 °C
Boiling point or initial boiling point and boiling range	100 °C
· Flammability	Not applicable.
Lower and upper explosion limit	1101 5/2/1001
· Lower:	Not determined.
· Upper:	Not determined.
Flash point:	Not applicable
· Auto-ignition temperature:	not applicable
Decomposition temperature:	Not determined.
pH at 20 °C	9
· pH-value 1 %:	6-8
· Viscosity:	
· Kinematic viscosity	Not determined.
· dynamic:	Not determined.
· Solubility	
· Water:	Fully miscible
· Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	1.017 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
Relative gas density	Not determined.
· Particle characteristics	Not applicable.
9.2 Other information	
· Appearance:	
· Form:	Fluid
Important information on protection of health and	
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
· Evaporation rate	Not determined.
•	
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
· Aerosols	Void Void
Oxidising gases	Void Void
Gases under pressure	Void Void
· Flammable liquids · Flammable solids	Void Void
Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases	VOIG
in contact with water	Void
	(Contd. on page 6)

(Contd. on page 6)



Printing date 06.06.2025 Version number 6 (replaces version 5) Revision: 10.05.2023

Trade name: FloorPro Multi Cleaner RM 756

		(Contd. of page 5
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- 10.1 Reactivity corresponds to 10.3
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 v	· LD/LC50 values relevant for classification:		
69011-36-5 isotridecanolethoxylate + 5 EO			
Oral LD50 >5000 mg/kg (Rat)			
112-34-5 2	112-34-5 2-(2-butoxyethoxy)ethanol		
Oral	LD50	2410 mg/kg (mouse) (OECD 401)	
Dermal	LD50	2764 mg/kg (Rabbit)	
541-02-6	541-02-6 decamethylcyclopentasiloxane		
Dermal	LD50	>15000 mg/kg (Rat)	
Inhalative	LC50	>5000 mg/kg (Rat)	
. Drimont in	Primary irritant offoct:		

- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- * STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 7)



Printing date 06.06.2025 Version number 6 (replaces version 5) Revision: 10.05.2023

Trade name: FloorPro Multi Cleaner RM 756

· 11.2 Info	ormation on other hazards	contd. of page 6)	
Endocrine disrupting properties			
541-02-6	decamethylcyclopentasiloxane	List II	
540-97-6	Dodecamethylcyclohexasiloxane	List II	
118-58-1	benzyl salicylate	List II	

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic t	· Aquatic toxicity:			
69011-36-5 isotridecanolethoxylate + 5 EO				
LC50/96 h	>1-10 mg/l (Leuciscus idus)			
EC50/48 h	>1-10 mg/l (Aquatic invertebrates)			
EC50/72 h	>1-10 mg/l (Aquatic plants)			
112-34-5 2	-(2-butoxyethoxy)ethanol			
LC50/96 h	1300 mg/l (Lepomis macrochirus)			
EC10/16 h	1170 mg/l (Pseudomonas putida)			
EC50/24 h	2850 mg/l (Daphnia magna) (DIN 38412)			
NOEC	>100 mg/l (Desmodesmus subspicatus)			

· 12.2 Persistence and degradability No further relevant information available.

	,			
Degree of e	elimination:			
,	2-butoxyethoxy)ethanol			
OECD 301C	80-90 % (28 d)			
OECD 301E	>70 % (28 d)			
OECD 302B	100 % (28 d)			
541-02-6 ded	camethylcyclopentasiloxane			
OECD 310	0.14 % (28 d)			

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment

541-02-6 decamethylcyclopentasiloxane

	· PBT:
	541-02-6 decamethylcyclopentasiloxane
Ī	· vPvB:

· 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

(Contd. on page 8)



Printing date 06.06.2025 Version number 6 (replaces version 5) Revision: 10.05.2023

Trade name: FloorPro Multi Cleaner RM 756

(Contd. of page 7)

- 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

The contained organic complexing agents reach a DOC-elimination grade of 80% (corresponding to No. 406 of Annex "Analytic and measuring methods") and with this meet the tightened demands of Annex 49 of the revised Direction on liqid waste.

The product does not contain organically bounded halogens (AOX-free).

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

European waste catalogue

20 01 30 detergents other than those mentioned in 20 01 29

- Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents: Water, if necessary together with cleaning agents.

SECTION 14: Transport information 14.1 UN number or ID number ADR, IMDG, IATA Void 14.2 UN proper shipping name ADR, ADN, IMDG, IATA Void 14.3 Transport hazard class(es) ADR, ADN, IMDG, IATA Class Void 14.4 Packing group ADR, IMDG, IATA Void

(Contd. on page 9)



Printing date 06.06.2025 Version number 6 (replaces version 5) Revision: 10.05.2023

Trade name: FloorPro Multi Cleaner RM 756

		(Contd. of page 8)
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk according to IMO		
instruments	Not applicable.	
UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 55
- National regulations
- · Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

541-02-6 decamethylcyclopentasiloxane

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

A product information sheet can be provided if requested.

· Relevant phrases

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Contact:

Regulatory Affairs

Tel.: +49-7195-14-0

productsafety.management.de@karcher.com

Version number of previous version: 5

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 10)

(Contd. of page 9)



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Version number 6 (replaces version 5) Revision: 10.05.2023 Printing date 06.06.2025

Trade name: FloorPro Multi Cleaner RM 756

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

* Data compared to the previous version altered.

0.011-140.0 RM 756/5 2.669