

Printing date 20.06.2025 Version number 8 (replaces version 7) Revision: 08.10.2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: FloorPro Deep Cleaner RM 69 eco!efficiency
- · UFI: 1S50-300P-T006-5QHC
- 1.2 Relevant identified uses of the substance or mixture and uses advised against Restricted to professional users.
- · Application of the substance / the mixture Floor cleaner
- 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

#### Alfred Kärcher SE & Co. KG

Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

#### Karcher Ltd

Unit 3 Redcow Retail Centre Robinhood Road, Ballymount Dublin 22 D22 PY03

Tel.: +353 1 409 7777

Internet: www.karcher.com

#### Further information obtainable from:

Regulatory Affairs
Tel.: +49-7195-14-0
productsafety.management.de@karcher.com

### · 1.4 Emergency telephone number:

Emergency medical information: 8am-10pm (seven days) contact National Poisons Information Centre, Beaumont Hospital, Dublin 9 DOV2NO, Ireland.

Telephone Number: +353 (0)1 809 2166

For Hazardous Materials [or Dangerous Goods] Incidents

Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

## **SECTION 2: Hazards identification**

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Skin Corr. 1 H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

(Contd. on page 2)



Printing date 20.06.2025 Version number 8 (replaces version 7) Revision: 08.10.2024

Trade name: FloorPro Deep Cleaner RM 69 eco!efficiency

(Contd. of page 1)

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



- · Signal word Danger
- · Hazard-determining components of labelling:

isotridecanolethoxylate + 8 EO

Hazard statements

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- 2.3 Other hazards
- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Determination of endocrine-disrupting properties Not applicable.

## **SECTION 3: Composition/information on ingredients**

- 3.2 Mixtures
- · **Description:** Cleaning agent

| Dangerous components:          |  |        |
|--------------------------------|--|--------|
| CAS: 112-34-5                  | 2-(2-butoxyethoxy)ethanol                | 1-5%   |
| EINECS: 203-961-6              | ① Eye Irrit. 2, H319                     |        |
| Index number: 603-096-00-8     |  |        |
| Reg.nr.: 01-2119475104-44-xxxx |  |        |
| CAS: 69011-36-5                | isotridecanolethoxylate + 8 EO           | ≥3-≤5% |
|                                | 📀 Eye Dam. 1, H318; 🐠 Acute Tox. 4, H302 |        |

| Regulation (EC) No 648/2004 on detergents / Labelling for contents |     |
|--|-----|
| non-ionic surfactants  | <5% |
| perfumes (TERPINEOL)   |     |

(Contd. on page 3)



Printing date 20.06.2025 Version number 8 (replaces version 7) Revision: 08.10.2024

Trade name: FloorPro Deep Cleaner RM 69 eco!efficiency

(Contd. of page 2)

Additional information For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

- 4.1 Description of first aid measures
- · General information Immediately remove any clothing soiled by the product.
- · After inhalation

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

- · After skin contact Immediately wash with water and soap and rinse thoroughly.
- After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed.
   No further relevant information available.

## **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders). Use neutralising agent.

(Contd. on page 4)



Printing date 20.06.2025 Version number 8 (replaces version 7) Revision: 08.10.2024

Trade name: FloorPro Deep Cleaner RM 69 eco!efficiency

(Contd. of page 3)

Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid contact with eyes and skin.

- Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Keep away from food, beverages and feed.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

## Ingredients with limit values that require monitoring at the workplace:

# 112-34-5 2-(2-butoxyethoxy)ethanol

OEL | Short-term value: 101.2 mg/m³, 12 ppm Long-term value: 67.5 mg/m<sup>3</sup>, 10 ppm

**IOELV** 

## 8.2 Exposure controls

- · Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

## Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use selfcontained respiratory protective device.

Filter A/P2.

(Contd. on page 5)



Printing date 20.06.2025 Version number 8 (replaces version 7) Revision: 08.10.2024

Trade name: FloorPro Deep Cleaner RM 69 eco!efficiency

(Contd. of page 4)

· Hand protection



Protective gloves.

- · Material of gloves Butyl rubber, BR
- Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles (EN 166)

# **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

General Information

· Physical state Liquid · Colour: Blue · Odour: citrus-like Odour threshold: Not determined.

· Melting point/freezing point: -5 °C

Boiling point or initial boiling point and boiling range undetermined

· Flammability Not applicable.

· Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined. · Flash point: Not applicable · Auto-ignition temperature: not applicable

Decomposition temperature: Not determined.

· pH at 20 °C 12.2

· Viscosity:

· Kinematic viscosity Not determined. · dynamic: Not determined.

· Solubility

Fully miscible · Water: · Partition coefficient n-octanol/water (log value) Not determined. · Vapour pressure: Not determined.

· Density and/or relative density

· Density at 20 °C: 1.043 g/cm<sup>3</sup> · Relative density Not determined. · Vapour density Not determined. Relative gas density Not determined. · Particle characteristics Not applicable.

(Contd. on page 6)



Printing date 20.06.2025 Version number 8 (replaces version 7) Revision: 08.10.2024

Trade name: FloorPro Deep Cleaner RM 69 eco!efficiency

(Contd. of page 5)

|  |  |  | rma |  |
|--|--|--|-----|--|
|  |  |  |     |  |
|  |  |  |     |  |
|  |  |  |     |  |

· Appearance:

· Form: Fluid

Important information on protection of health and environment, and on safety.

· **Ignition temperature:** Product is not selfigniting.

• **Explosive properties:** Product does not present an explosion hazard.

· Change in condition

• Evaporation rate Not determined.

| 1 . 6                           |       |            |        |        |        |         |
|---------------------------------|-------|------------|--------|--------|--------|---------|
| ·Intormation                    | WITE  | raara 1    | 'A nni | veical | nazara | CIBEENE |
| <ul> <li>Information</li> </ul> | WILLI | i euai u i | O DIII | vsicai | Hazaru | CIASSES |
|                                 |       |            |        |        |        |         |

| morning and regular to project malanta enaced         |      |
|---|------|
| · Explosives  | Void |
| Flammable gases                                       | Void |
| · Aerosols  | Void |
| · Oxidising gases                                     | Void |
| · Gases under pressure                                | Void |
| · Flammable liquids                                   | Void |
| · Flammable solids                                    | Void |
| · Self-reactive substances and mixtures               | Void |
| · Pyrophoric liquids                                  | Void |
| · Pyrophoric solids                                   | Void |
| · Self-heating substances and mixtures                | Void |
| · Substances and mixtures, which emit flammable gases |      |
| in contact with water                                 | Void |
| · Oxidising liquids                                   | Void |
| · Oxidising solids                                    | Void |
| · Organic peroxides                                   | Void |
| · Corrosive to metals                                 | Void |
| · Desensitised explosives                             | Void |
|   |      |

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity corresponds to 10.3
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

- IE



Printing date 20.06.2025 Version number 8 (replaces version 7) Revision: 08.10.2024

Trade name: FloorPro Deep Cleaner RM 69 eco!efficiency

(Contd. of page 6)

## **SECTION 11: Toxicological information**

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

| · LD/LC5 | · LD/LC50 values relevant for classification: |                               |  |
|----------|---|-------------------------------|--|
| 112-34-  | 112-34-5 2-(2-butoxyethoxy)ethanol            |                               |  |
| Oral     | LD50  | 2410 mg/kg (mouse) (OECD 401) |  |
| Dermal   | LD50  | 2764 mg/kg (Rabbit)           |  |
| 69011-3  | 69011-36-5 isotridecanolethoxylate + 8 EO     |                               |  |
| Oral     | ATE   | 500 mg/kg (Rat)               |  |

- · Primary irritant effect:
- · Skin corrosion/irritation Causes severe skin burns and eye damage.
- Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards

| Endocrine disrupting properties |                               |              |  |
|---------------------------------|-------------------------------|--------------|--|
| 541-02-6                        | decamethylcyclopentasiloxane  | List II      |  |
| 540-97-6                        | Dodecamethylcyclohexasiloxane | List II      |  |
| 556-67-2                        | octamethylcyclotetrasiloxane  | List II; III |  |

## **SECTION 12: Ecological information**

· 12.1 Toxicity

| · Aquatic to | · Aquatic toxicity:                             |  |  |
|--------------|---|--|--|
| 112-34-5 2   | -(2-butoxyethoxy)ethanol                        |  |  |
| LC50/96 h    | 1300 mg/l (Lepomis macrochirus)                 |  |  |
| EC10/16 h    | 1170 mg/l (Pseudomonas putida)                  |  |  |
| EC50/24 h    | EC50/24 h 2850 mg/l (Daphnia magna) (DIN 38412) |  |  |
| NOEC         | >100 mg/l (Desmodesmus subspicatus)             |  |  |
| 69011-36-5   | isotridecanolethoxylate + 8 EO                  |  |  |
| LC50/96 h    | >1-10 mg/l (Leuciscus idus)                     |  |  |
| EC50/48 h    | >1-10 mg/l (Aquatic invertebrates)              |  |  |
| EC50/72 h    | >1-10 mg/l (Aquatic plants)                     |  |  |
| NOEC         | >1 mg/l /(21 d)                                 |  |  |
|              | (Contd. on page 8)                              |  |  |

(Contd. on page 8)



Printing date 20.06.2025 Version number 8 (replaces version 7) Revision: 08.10.2024

Trade name: FloorPro Deep Cleaner RM 69 eco!efficiency

(Contd. of page 7)

· 12.2 Persistence and degradability No further relevant information available.

| Degree of e   | elimination:                  |
|---------------|-------------------------------|
| 1             | 2-butoxyethoxy)ethanol        |
| OECD 301C     | 80-90 % (28 d)                |
| OECD 301E     | >70 % (28 d)                  |
| OECD 302B     | 100 % (28 d)                  |
| 69011-36-5 is | sotridecanolethoxylate + 8 EO |
| OECD 301B     | >60 % (28 d)                  |
| OECD 301E     | ≥90 % (28 d)                  |

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

The product does not contain organically bounded halogens (AOX-free).

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

The contained organic complexing agents reach a DOC-elimination grade of 80% (corresponding to No. 406 of Annex "Analytic and measuring methods") and with this meet the tightened demands of Annex 49 of the revised Direction on liqid waste.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

# **SECTION 13: Disposal considerations**

- 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

(Contd. on page 9)



Printing date 20.06.2025 Version number 8 (replaces version 7) Revision: 08.10.2024

Trade name: FloorPro Deep Cleaner RM 69 eco!efficiency

(Contd. of page 8)

### · European waste catalogue

20 01 29\* detergents containing hazardous substances

- Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents: Water, if necessary together with cleaning agents.

| SECTION 2 | 14: Transport | information |
|-----------|---------------|-------------|
|           |               |             |
|           |               |             |

| · 14.1 UN number or ID number | ſ |
|-------------------------------|---|
|-------------------------------|---|

· ADR, IMDG, IATA UN3267

### 14.2 UN proper shipping name

• **ADR** 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.

(methylglycine diacetic acid, trisodium salt, solution)
CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.
(methylglycine diacetic acid, trisodium salt, solution)

· 14.3 Transport hazard class(es)

· ADR



· IMDG, IATA

· Class 8 (C7) Corrosive substances. 
Label 8

· IMDG, IATA



· Class 8 Corrosive substances.

· Label

14.4 Packing group

· ADR, IMDG, IATA

14.5 Environmental hazards: Not applicable.

· 14.6 Special precautions for user Warning: Corrosive substances.

Hazard identification number (Kemler code): 80

• EMS Number: F-A,S-B

· Segregation groups (SGG18) Alkalis

· Stowage Category

Stowage Code SW2 Clear of living quarters.

(Contd. on page 10)



Printing date 20.06.2025 Version number 8 (replaces version 7) Revision: 08.10.2024

Trade name: FloorPro Deep Cleaner RM 69 eco!efficiency

|   | (Contd. of page 9,   |
|---|--|
| · Segregation Code  | SG35 Stow "separated from" SGG1-acids  |
| 14.7 Maritime transport in bulk accordin instruments              | g to IMO<br>Not applicable.  |
| Transport/Additional information:                                 |  |
| · ADR · Limited quantities (LQ) · Excepted quantities (EQ)        | 5L<br>Code: E1   |
| · Transport category<br>· Tunnel restriction code                 | Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 1000 ml<br>3<br>E         |
| · IMDG<br>· Limited quantities (LQ)<br>· Excepted quantities (EQ) | 5L<br>Code: E1<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 1000 ml |
| · UN "Model Regulation":  | UN 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (METHYLGLYCINE DIACETIC ACID, TRISODIUM SALT, SOLUTION), 8, III       |

## **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 55
- · National regulations
- · Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

A product information sheet can be provided if requested.

#### Relevant phrases

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

(Contd. on page 11)



Printing date 20.06.2025 Version number 8 (replaces version 7) Revision: 08.10.2024

Trade name: FloorPro Deep Cleaner RM 69 eco!efficiency

(Contd. of page 10)

### · Classification according to Regulation (EC) No 1272/2008

Skin corrosion/irritation The classification of the mixture is generally based on the calculation method using Serious eye damage/irritation substance data according to Regulation (EC) No 1272/2008.

### · Contact:

Regulatory Affairs Tel.: +49-7195-14-0

productsafety.management.de@karcher.com

· Version number of previous version: 7

## Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1: Skin corrosion/irritation – Category 1

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

### \* Data compared to the previous version altered.

· 0.011-328.0 RM69Eco/7 2.775

- IE -