

Printing date 21.11.2025 Version number 7 (replaces version 6) Revision: 17.11.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760
- · UFI: 7H30-X02C-U00A-XUCP
- 1.2 Relevant identified uses of the substance or mixture and uses advised against Restricted to professional users.



Keep away from children.

- · Application of the substance / the mixture Spray extraction cleaner
- 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG

Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Karcher Ltd

Unit 3 Redcow Retail Centre Robinhood Road, Ballymount Dublin 22 D22 PY03

Tel.: +353 1 409 7777

Internet: www.karcher.com

Further information obtainable from:

Regulatory Affairs Tel.: +49-7195-14-0 productsafety.management.de@karcher.com

1.4 Emergency telephone number:

Emergency medical information: 8am-10pm (seven days) contact National Poisons Information Centre, Beaumont

Hospital, Dublin 9 DOV2NO, Ireland. Telephone Number: +353 (0)1 809 2166

For Hazardous Materials for Dangerous Goods Incidents

Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1-703-527-3887 (collect calls accepted)



Printing date 21.11.2025 Version number 7 (replaces version 6) Revision: 17.11.2025

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

(Contd. of page 1)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard-determining components of labelling:

citric acid

· Hazard statements

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear eye protection / face protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Determination of endocrine-disrupting properties Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
- Description: Cleaning agent

Dangerous components:

CAS: 497-19-8 EINECS: 207-838-8

Index number: 011-005-00-2

Reg.nr.: 01-2119485498-19-xxxx

sodium carbonate

(t) Eye Irrit. 2, H319

30-50%

(Contd. on page 3)



Printing date 21.11.2025 Version number 7 (replaces version 6) Revision: 17.11.2025

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

		(0	Contd. of page 2)			
	AS: 77-92-9	citric acid	30-50%			
	INECS: 201-069-1	(1) Eye Irrit. 2, H319; STOT SE 3, H335				
	dex number: 607-750-00-3					
Re	eg.nr.: 01-2119457026-42-xxxx					
	AS: 6153-56-6	oxalic acid dihydrate	≥1-<3%			
	INECS: 205-634-3	📀 Eye Dam. 1, H318; 🗘 Acute Tox. 4, H302; Acute Tox. 4, H312				
	dex number: 607-006-00-8					
	eg.nr.: 01-2119534576-33-xxxx					
CA	AS: 68439-46-3	C9-11 alcohol ethoxylate	1-5%			
CA	AS: 9004-34-6	Cellulose	1-5%			
EI	INECS: 232-674-9	substance with a Community workplace exposure limit				
· Re	Regulation (EC) No 648/2004 on detergents / Labelling for contents					
Regulation (EC) No 648/2004 on detergents / Labelling for contents polycarboxylates ≥5 - <15%						
no	non-ionic surfactants, anionic surfactants <5%					
ре	perfumes (LINALYL ACETATE, DIMETHYL PHENETHYL ACETATE, TERPINEOL)					
· A	Additional information For the wording of the listed hazard phrases refer to section 16.					

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

(Contd. on page 4)



Printing date 21.11.2025 Version number 7 (replaces version 6) Revision: 17.11.2025

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

(Contd. of page 3)

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

- · 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Prevent formation of dust.

Avoid contact with eves and skin.

- Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- Requirements to be met by storerooms and receptacles: Protect from humidity. Store dry and locked up.
- Information about storage in one common storage facility: Keep away from food, beverages and feed.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

9004-34-6 Cellulose

OEL Long-term value: 10 mg/m³

· DNELs

497-19-8 sodium carbonate

Inhalative DNEL 10 mg/m3 (employee)

- 8.2 Exposure controls
- **Appropriate engineering controls** No further data; see section 7.

(Contd. on page 5)



Printing date 21.11.2025 Version number 7 (replaces version 6) Revision: 17.11.2025

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

(Contd. of page 4)

- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection Not required.
- · Material of gloves Not required.
- Penetration time of glove material Not required.
- · Eye/face protection



Tightly sealed goggles (EN 166)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

· Physical state Solid. · Colour: Colourless

· Odour: green tea · Odour threshold:

Not determined. Melting point/freezing point: undetermined

Boiling point or initial boiling point and boiling range undetermined · Flammability Not determined.

· Lower and upper explosion limit

· Lower: Not determined.

· Upper: Not determined. · Flash point: Not applicable

· Auto-ignition temperature: not applicable Decomposition temperature: Not determined.

Not determined. Hq· 8-9

• pH-value 10 %: · Viscosity:

· Kinematic viscosity

Not applicable. · dynamic: Not applicable.

· Solubility

· Water: Soluble

· Partition coefficient n-octanol/water (log value) Not determined. · Vapour pressure: Not applicable.

· Density and/or relative density

· Relative density Not determined. · Bulk density: 890 kg/m3 · Vapour density Not applicable. Relative gas density Not applicable.

(Contd. on page 6)



Printing date 21.11.2025 Version number 7 (replaces version 6) Revision: 17.11.2025

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

	(Contd. of page s
Particle characteristics	See section 3.
9.2 Other information	
Appearance:	
· Form:	Tablets
Important information on protection of health and	
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	· ·
· Evaporation rate	Not applicable.
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases	
in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity corresponds to 10.3
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known



Printing date 21.11.2025 Version number 7 (replaces version 6) Revision: 17.11.2025

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

(Contd. of page 6)

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:					
497-19-8 sodium carbonate					
Oral	Oral LD50 2800 mg/kg (Rat)				
Dermal	LD50	>2000 mg/kg (rabbit)			
6153-56-6 oxalic acid dihydrate					
Dermal	Dermal LD50 20000 mg/kg (Rabbit)				
68439-46-3 C9-11 alcohol ethoxylate					
Oral	LD50	>5000 mg/kg (Rat)			

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure May cause respiratory irritation.
- * STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

497-19-8 sodium carbonate EC50/48 h 200-227 mg/l (Ceriodaphnia dubia) EC50/96 h 300 mg/l (Lepomis macrochirus) 77-92-9 citric acid LC50/48 h 440 mg/l (Leuciscus idus) (OECD Test Guideline 203) LC50/24 h 1.535 mg/l (Daphnia magna) (static test) 6153-56-6 oxalic acid dihydrate LC50/48 h 160 mg/l (Leuciscus idus)	· Aquatic toxicity:					
EC50/96 h 300 mg/l (Lepomis macrochirus) 77-92-9 citric acid LC50/48 h 440 mg/l (Leuciscus idus) (OECD Test Guideline 203) LC50/24 h 1.535 mg/l (Daphnia magna) (static test) 6153-56-6 oxalic acid dihydrate LC50/48 h 160 mg/l (Leuciscus idus)	497-19-8 s	497-19-8 sodium carbonate				
77-92-9 citric acid LC50/48 h 440 mg/l (Leuciscus idus) (OECD Test Guideline 203) LC50/24 h 1.535 mg/l (Daphnia magna) (static test) 6153-56-6 oxalic acid dihydrate LC50/48 h 160 mg/l (Leuciscus idus)	EC50/48 h	200-227 mg/l (Ceriodaphnia dubia)				
LC50/48 h 440 mg/l (Leuciscus idus) (OECD Test Guideline 203) LC50/24 h 1.535 mg/l (Daphnia magna) (static test) 6153-56-6 oxalic acid dihydrate LC50/48 h 160 mg/l (Leuciscus idus)	EC50/96 h	300 mg/l (Lepomis macrochirus)				
LC50/24 h 1.535 mg/l (Daphnia magna) (static test) 6153-56-6 oxalic acid dihydrate LC50/48 h 160 mg/l (Leuciscus idus)	77-92-9 cit	77-92-9 citric acid				
6153-56-6 oxalic acid dihydrate LC50/48 h 160 mg/l (Leuciscus idus)	LC50/48 h	440 mg/l (Leuciscus idus) (OECD Test Guideline 203)				
LC50/48 h 160 mg/l (Leuciscus idus)	LC50/24 h	1.535 mg/l (Daphnia magna) (static test)				
	6153-56-6 oxalic acid dihydrate					
F0F0/40 L 400 0 /L/D Luit	LC50/48 h	160 mg/l (Leuciscus idus)				
EC50/48 n 162.2 mg/i (Daphnia magna)	EC50/48 h	162.2 mg/l (Daphnia magna)				
68439-46-3 C9-11 alcohol ethoxylate						
LC50/96 h 1-10 mg/l (Oncorhynchus mykiss)	LC50/96 h	1-10 mg/l (Oncorhynchus mykiss)				

(Contd. on page 8)



Printing date 21.11.2025 Version number 7 (replaces version 6) Revision: 17.11.2025

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

(Contd. of page 7)

EC50/48 h 1-10 mg/l (Daphnia magna)

EC50/72 h 1-10 mg/l (Algae)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

The product does not contain organically bounded halogens (AOX-free).

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

The contained organic complexing agents reach a DOC-elimination grade of 80% (corresponding to No. 406 of Annex "Analytic and measuring methods") and with this meet the tightened demands of Annex 49 of the revised Direction on ligid waste.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

European waste catalogue

20 01 29* detergents containing hazardous substances

- **Uncleaned packaging:**
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents: Water, if necessary together with cleaning agents.



Printing date 21.11.2025 Version number 7 (replaces version 6) Revision: 17.11.2025

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

(Contd. of page 8)

SECTION 14: Transport information		
· 14.1 UN number or ID number · ADR, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
 14.7 Maritime transport in bulk according instruments 	to IMO Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- National regulations
- · Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

A product information sheet can be provided if requested.

· Relevant phrases

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

(Contd. on page 10)



Printing date 21.11.2025 Version number 7 (replaces version 6) Revision: 17.11.2025

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

(Contd. of page 9)

Classification according to Regulation (EC) No 1272/2008

Serious eye damage/irritation Specific target organ toxicity (single exposure)

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· Contact:

Regulatory Affairs Tel.: +49-7195-14-0

productsafety.management.de@karcher.com

Version number of previous version: 6

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* Data compared to the previous version altered.

· 0.011-335.0 RM 760 T/6 2.881

·ΙΕ