Safety data sheet
according to UK REACH

Printing date 24.10.2025 Version number 12 (replaces version 11) Revision: 15.10.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name: VehiclePro Klear!Foam Polish RM 837**

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**
Restricted to professional users.
· **Application of the substance / the mixture** Drying aid for vehicle washing plants

· **1.3 Details of the supplier of the safety data sheet**
· **Manufacturer/Supplier:**

Alfred Kärcher SE & Co. KG
Alfred-Kärcher-Str. 28-40
D - 71364 Winnenden
Tel.: +49-7195-14-0

Kärcher (UK) Ltd.
Kärcher House
Brookhill Way
Banbury
Oxon OX16 3ED
Great Britain
Tel.: +44-1295-752-000

Internet: www.karcher.com

· **Further information obtainable from:**

Regulatory Affairs
Tel.: +49-7195-14-0
productsafety.management.de@karcher.com

· **1.4 Emergency telephone number:**

For Hazardous Materials [or Dangerous Goods] Incidents
Spill, Leak, Fire, Exposure, or Accident
Call CHEMTREC Day or Night
Within USA and Canada: 1-800-424-9300
Outside USA and Canada: +1-703-527-3887 (collect calls accepted)

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**
· **Classification according to Regulation (EC) No 1272/2008**

Skin Irrit. 2	H315 Causes skin irritation.
Eye Dam. 1	H318 Causes serious eye damage.
Aquatic Chronic 3	H412 Harmful to aquatic life with long lasting effects.

· **2.2 Label elements**
· **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)

Safety data sheet
according to UK REACH

Printing date 24.10.2025 Version number 12 (replaces version 11) Revision: 15.10.2025

Trade name: VehiclePro Klear!Foam Polish RM 837

(Contd. of page 1)

· **Hazard pictograms**



GHS05

· **Signal word** Danger

· **Hazard-determining components of labelling:**
Aminosiloxane
1-propanaminium, 2-hydroxy-N-(2-hydroxypropyl) -N-N-dimethyl, diesters with vegetable oil fatty acids, methyl sulfates
· **Hazard statements**
H315 Causes skin irritation.
H318 Causes serious eye damage.
H412 Harmful to aquatic life with long lasting effects.
· **Precautionary statements**

P264	Wash hands thoroughly after handling.
P280	Wear protective gloves / eye protection / face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

*
SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**
· **Description:** Mixture of substances listed below with non-hazardous additions.

· **Dangerous components:**

CAS: 71750-79-3	Aminosiloxane Eye Dam. 1, H318; Aquatic Chronic 2, H411; Skin Irrit. 2, H315	≥5-<10%
CAS: 5131-66-8 EINECS: 225-878-4 Index number: 603-052-00-8 Reg.nr.: 01-2119475527-28-XXXX	propylene glycol monobutyl ether Skin Irrit. 2, H315; Eye Irrit. 2, H319	≥5-<10%
CAS: 112-34-5 EINECS: 203-961-6 Index number: 603-096-00-8 Reg.nr.: 01-2119475104-44-xxxx	2-(2-butoxyethoxy)ethanol Eye Irrit. 2, H319	1-5%
CAS: 1474044-71-7 EC number: 939-685-4 Reg.nr.: 01-2119983493-26	1-propanaminium, 2-hydroxy-N-(2-hydroxypropyl) -N-N-dimethyl, diesters with vegetable oil fatty acids, methyl sulfates Eye Dam. 1, H318; Skin Irrit. 2, H315; Aquatic Chronic 3, H412	≥3-<5%
CAS: 9004-78-8	Phenol, ethoxylated Acute Tox. 4, H302	0.1-1%
CAS: 134737-05-6	Diquarternary polydimethylsiloxane Aquatic Acute 1, H400; Aquatic Chronic 2, H411	≥0.1-<0.25%

(Contd. on page 3)

Safety data sheet
according to UK REACH

Printing date 24.10.2025 Version number 12 (replaces version 11) Revision: 15.10.2025

Trade name: VehiclePro Klear!Foam Polish RM 837

(Contd. of page 2)

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**
· **After inhalation** Supply fresh air; consult doctor in case of complaints.
· **After skin contact** Generally the product does not irritate the skin.
· **After eye contact** Rinse opened eye for several minutes under running water.
· **After swallowing**
Rinse out mouth and then drink plenty of water.
If symptoms persist consult doctor.

· **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**
· **Suitable extinguishing agents**
CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **5.2 Special hazards arising from the substance or mixture** No further relevant information available.

· **5.3 Advice for firefighters**
· **Protective equipment:** No special measures required.
· **Additional information** Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures** Not required.

· **6.2 Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
Do not allow to penetrate the ground/soil.

· **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).
Ensure adequate ventilation.

· **6.4 Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.

(Contd. on page 4)

Safety data sheet
according to UK REACH

Printing date 24.10.2025 Version number 12 (replaces version 11) Revision: 15.10.2025

Trade name: VehiclePro Klear!Foam Polish RM 837

(Contd. of page 3)

See Section 13 for disposal information.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
Avoid contact with eyes and skin.
· **Information about fire - and explosion protection:** No special measures required.

· **7.2 Conditions for safe storage, including any incompatibilities**
· **Storage**
· **Requirements to be met by storerooms and receptacles:** No special requirements.
· **Information about storage in one common storage facility:** Keep away from food, beverages and feed.
· **Further information about storage conditions:** Keep receptacle tightly sealed.

· **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**	
112-34-5 2-(2-butoxyethoxy)ethanol	
WEL	Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm

· **PNECs**	
1474044-71-7 1-propanaminium, 2-hydroxy-N-(2-hydroxypropyl) -N-N-dimethyl, diesters with vegetable oil fatty acids, methyl sulfates	
PNEC	10 mg/l (STP) (Assessment factor: 100)
PNEC sediment	1.7 mg/kg (freshwater) (sediment dw)
	0.17 mg/kg (marine water) (sediment dw)
PNEC aqua	0.017 mg/l (freshwater) (Assessment factor: 10)
	0.002 mg/l (marine water) (Assessment factor: 100)

· **8.2 Exposure controls**
· **Appropriate engineering controls** No further data; see section 7.
· **Individual protection measures, such as personal protective equipment**
· **General protective and hygienic measures**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
· **Respiratory protection:** Not necessary if room is well-ventilated.

(Contd. on page 5)

Safety data sheet
according to UK REACH

Printing date 24.10.2025 Version number 12 (replaces version 11) Revision: 15.10.2025

Trade name: VehiclePro Klear!Foam Polish RM 837

(Contd. of page 4)

· **Hand protection**



Protective gloves.

· **Material of gloves** Butyl rubber, BR
· **Penetration time of glove material**
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
· **Eye/face protection**



Tightly sealed goggles (EN 166)

*
SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**
· **General Information**

· **Physical state**	Liquid
· **Colour:**	pink
· **Odour:**	Fruit-like
· **Odour threshold:**	Not determined.
· **Melting point/freezing point:**	-1 °C
· **Boiling point or initial boiling point and boiling range**	undetermined
· **Flammability**	Not applicable.
· **Lower and upper explosion limit**	
· **Lower:**	Not determined.
· **Upper:**	Not determined.
· **Flash point:**	Not applicable
· **Auto-ignition temperature:**	not applicable
· **Decomposition temperature:**	Not determined.
· **pH at 20 °C**	4.8
· **pH-value 1 %:**	6-8
· **Viscosity:**	
· **Kinematic viscosity**	Not determined.
· **dynamic:**	Not determined.
· **Solubility**	
· **Water:**	Fully miscible
· **Partition coefficient n-octanol/water (log value)**	Not determined.
· **Vapour pressure:**	Not determined.
· **Density and/or relative density**	
· **Density at 20 °C:**	0.9966 g/cm³
· **Relative density**	Not determined.
· **Vapour density**	Not determined.
· **Relative gas density**	Not determined.
· **Particle characteristics**	Not applicable.

(Contd. on page 6)

(Contd. of page 5)

· **9.2 Other information**
· **Appearance:**
· **Form:** Fluid
· **Important information on protection of health and environment, and on safety.**
· **Ignition temperature:** Product is not selfigniting.
· **Explosive properties:** Product does not present an explosion hazard.
· **Change in condition**
· **Evaporation rate** Not determined.

· **Information with regard to physical hazard classes**

· **Explosives**	Void
· **Flammable gases**	Void
· **Aerosols**	Void
· **Oxidising gases**	Void
· **Gases under pressure**	Void
· **Flammable liquids**	Void
· **Flammable solids**	Void
· **Self-reactive substances and mixtures**	Void
· **Pyrophoric liquids**	Void
· **Pyrophoric solids**	Void
· **Self-heating substances and mixtures**	Void
· **Substances and mixtures, which emit flammable gases in contact with water**	Void
· **Oxidising liquids**	Void
· **Oxidising solids**	Void
· **Organic peroxides**	Void
· **Corrosive to metals**	Void
· **Desensitised explosives**	Void

SECTION 10: Stability and reactivity

· **10.1 Reactivity** corresponds to 10.3

· **10.2 Chemical stability**
· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

· **10.3 Possibility of hazardous reactions** No dangerous reactions known

· **10.4 Conditions to avoid** No further relevant information available.

· **10.5 Incompatible materials:** No further relevant information available.

· **10.6 Hazardous decomposition products:** No dangerous decomposition products known

(Contd. on page 7)

Safety data sheet
according to UK REACH

Printing date 24.10.2025 Version number 12 (replaces version 11) Revision: 15.10.2025

Trade name: VehiclePro Klear!Foam Polish RM 837

(Contd. of page 6)

SECTION 11: Toxicological information

· **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
· **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**		
5131-66-8 propylene glycol monobutyl ether		
Oral	LD50	3300 mg/kg (Rat)
112-34-5 2-(2-butoxyethoxy)ethanol		
Oral	LD50	2410 mg/kg (mouse) (OECD 401)
Dermal	LD50	2764 mg/kg (Rabbit)
9004-78-8 Phenol, ethoxylated		
Oral	LD50	500-2000 mg/kg (Rat)
Dermal	LD50	2140 mg/kg (Rabbit)
134737-05-6 Diquarternary polydimethylsiloxane		
Oral	LD50	>5000 mg/kg (Rat)

· **Primary irritant effect:**
· **Skin corrosion/irritation** Causes skin irritation.
· **Serious eye damage/irritation** Causes serious eye damage.
· **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
· **Carcinogenicity** Based on available data, the classification criteria are not met.
· **Reproductive toxicity** Based on available data, the classification criteria are not met.
· **STOT-single exposure** Based on available data, the classification criteria are not met.
· **STOT-repeated exposure** Based on available data, the classification criteria are not met.
· **Aspiration hazard** Based on available data, the classification criteria are not met.
· **11.2 Information on other hazards**

· **Endocrine disrupting properties**		
556-67-2	octamethylcyclotetrasiloxane	List II

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**	
5131-66-8 propylene glycol monobutyl ether	
LC50/96 h	560-1000 mg/l (fish)
112-34-5 2-(2-butoxyethoxy)ethanol	
LC50/96 h	1300 mg/l (Lepomis macrochirus)
EC10/16 h	1170 mg/l (Pseudomonas putida)
EC50/24 h	2850 mg/l (Daphnia magna) (DIN 38412)
NOEC	>100 mg/l (Desmodesmus subspicatus)

(Contd. on page 8)

(Contd. of page 7)

1474044-71-7 1-propanaminium, 2-hydroxy-N-(2-hydroxypropyl) -N-N-dimethyl, diesters with vegetable oil fatty acids, methyl sulfates	
LC50/96 h	>10 mg/l (Cyprinus carpio)
EC50/48 h	>8.6 mg/l (Daphnia magna)
EC50/72 h (static)	1.2 mg/l (Pseudokirchneriella subcapitata)
EC50	100 mg/l /6 d (STP)
NOEC	0.686 mg/l /35 d (Pimephales promelas)
	1 mg/l /21 d (Daphnia magna)
	0.39 mg/l /72 h (Pseudokirchneriella subcapitata) (OECD 201)
134737-05-6 Diquarternary polydimethylsiloxane	
LC50/96 h	30.8 mg/l (Danio rerio) (OECD 203)
EC50/48 h	>200 mg/l (Daphnia magna) (OECD 202)
ErC50/72h	0.49 mg/l (Pseudokirchneriella subcapitata) (OECD 201)
NOEC (dynamic)	0.313 mg/l /(72 h) (Pseudokirchneriella subcapitata) (OECD 201)

· **12.2 Persistence and degradability** No further relevant information available.

· **Degree of elimination:**	
5131-66-8 propylene glycol monobutyl ether	
OECD 301E	90 % (28 d)
112-34-5 2-(2-butoxyethoxy)ethanol	
OECD 301C	80-90 % (28 d)
OECD 301E	>70 % (28 d)
OECD 302B	100 % (28 d)
1474044-71-7 1-propanaminium, 2-hydroxy-N-(2-hydroxypropyl) -N-N-dimethyl, diesters with vegetable oil fatty acids, methyl sulfates	
OECD 301F	>60 % (28 d)
OECD 311	>60 % (60 d)
9004-78-8 Phenol, ethoxylated	
OECD 301F	79 % (28 d)
OECD 311	>60 % (60 d)

· **12.3 Bioaccumulative potential** No further relevant information available.

· **12.4 Mobility in soil** No further relevant information available.

· **12.5 Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.
· **12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.

· **12.7 Other adverse effects**
· **Additional ecological information:**
· **COD-value:** 450.000 mg/l

(Contd. on page 9)

Safety data sheet
according to UK REACH

Printing date 24.10.2025 Version number 12 (replaces version 11) Revision: 15.10.2025

Trade name: VehiclePro Klear!Foam Polish RM 837

(Contd. of page 8)

· **General notes:**

The product does not contain organic complexing agents.

The product does not contain organically bounded halogens (AOX-free).

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**
· **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
Must be specially treated adhering to official regulations.

· **European waste catalogue**	
20 01 29*	detergents containing hazardous substances

· **Uncleaned packaging:**
· **Recommendation:**
Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.
· **Recommended cleansing agents:** Water, if necessary together with cleaning agents.

SECTION 14: Transport information

· **14.1 UN number or ID number**	
· **ADR, IMDG, IATA**	Void
· **14.2 UN proper shipping name**	
· **ADR, IMDG, IATA**	Void
· **14.3 Transport hazard class(es)**	
· **ADR, ADN, IMDG, IATA**	
· **Class**	Void
· **14.4 Packing group**	
· **ADR, IMDG, IATA**	Void
· **14.5 Environmental hazards:**	Not applicable.
· **14.6 Special precautions for user**	Not applicable.
· **14.7 Maritime transport in bulk according to IMO instruments**	Not applicable.

(Contd. on page 10)

Safety data sheet
according to UK REACH

Printing date 24.10.2025 Version number 12 (replaces version 11) Revision: 15.10.2025

Trade name: VehiclePro Klear!Foam Polish RM 837

(Contd. of page 9)

· **UN "Model Regulation":** Void

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
· **Poisons Act**

· **Regulated explosives precursors**
None of the ingredients is listed.

· **Regulated poisons**
None of the ingredients is listed.

· **Reportable explosives precursors**
None of the ingredients is listed.

· **Reportable poisons**
None of the ingredients is listed.

· **Directive 2012/18/EU**
· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **National regulations**

· **Information about limitation of use:** Employment restrictions concerning juveniles must be observed.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
A product information sheet can be provided if requested.

· **Relevant phrases**
H302 Harmful if swallowed.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H400 Very toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.
· **Contact:**
Regulatory Affairs
Tel.: +49-7195-14-0
productsafety.management.de@karcher.com
· **Abbreviations and acronyms:**
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 11)

Safety data sheet
according to UK REACH

Printing date 24.10.2025 Version number 12 (replaces version 11) Revision: 15.10.2025

Trade name: VehiclePro Klear!Foam Polish RM 837

(Contd. of page 10)

IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
PNEC: Predicted No-Effect Concentration (UK REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· *** Data compared to the previous version altered.**

· 0·011-375·0 RM 837/6 2·868