

**Safety data sheet
according to UK REACH**

Printing date 31.01.2026

Version number 7 (replaces version 6)

Revision: 13.09.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier****Trade name:** PressurePro Foam Cleaner, acidic RM 59**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Restricted to professional users.

Application of the substance / the mixture High pressure cleaner**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:****Alfred Kärcher SE & Co. KG**

Alfred-Kärcher-Str. 28-40

D - 71364 Winnenden

Tel.: +49-7195-14-0

Kärcher (UK) Ltd.

Kärcher House

Brookhill Way

Banbury

Oxon OX16 3ED

Great Britain

Tel.: +44-1295-752-000

Internet: www.karcher.com**Further information obtainable from:**

Regulatory Affairs

Tel.: +49-7195-14-0

productsafety.management.de@karcher.com**1.4 Emergency telephone number:**

For Hazardous Materials [or Dangerous Goods] Incidents

Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1-703-527-3887 (collect calls accepted)

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

Met. Corr. 1 H290 May be corrosive to metals.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)

Safety data sheet according to UK REACH

Printing date 31.01.2026

Version number 7 (replaces version 6)

Revision: 13.09.2021

Trade name: PressurePro Foam Cleaner, acidic RM 59

(Contd. of page 1)

Hazard pictograms



GHS05

Signal word Danger

Hazard-determining components of labelling:

alkyl polyglucoside
formic acid

Hazard statements

H290 May be corrosive to metals.
H315 Causes skin irritation.
H318 Causes serious eye damage.

Precautionary statements

P264 Wash hands thoroughly after handling.
P280 Wear protective gloves / eye protection / face protection.
P302+P352 IF ON SKIN: Wash with plenty of water.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P332+P313 If skin irritation occurs: Get medical advice/attention.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description:

Mixture consisting of the following components.
Cleaning agent

Dangerous components:

CAS: 5949-29-1 EINECS: 201-069-1 Index number: 607-750-00-3 Reg.nr.: 01-2119457026-42-xxxx	citric acid ·H ₂ O ☠ Eye Irrit. 2, H319; STOT SE 3, H335	≥5-<10%
CAS: 68515-73-1 NLP: 500-220-1 Reg.nr.: 01-2119488530-36	alkyl polyglucoside ☠ Eye Dam. 1, H318	5-10%
CAS: 64-18-6 EINECS: 200-579-1 Index number: 607-001-00-0	formic acid ☠ Acute Tox. 3, H331; ☠ Met. Corr.1, H290; Skin Corr. 1A, H314; ☠ Acute Tox. 4, H302, EUH071 ATE: LD50 oral: 500 mg/kg LC50/4 h inhalative: 7.4 mg/l Specific concentration limits: Flam. Liq. 3; H226: C ≥ 85 % Skin Corr. 1A; H314: C ≥ 90 % Skin Corr. 1B; H314: 10 % ≤ C < 90 % Skin Irrit. 2; H315: 2 % ≤ C < 10 % Eye Dam. 1; H318: C ≥ 10 % Eye Irrit. 2; H319: 2 % ≤ C < 10 %	≥5-<10%

(Contd. on page 3)

Safety data sheet according to UK REACH

Printing date 31.01.2026

Version number 7 (replaces version 6)

Revision: 13.09.2021

Trade name: PressurePro Foam Cleaner, acidic RM 59

(Contd. of page 2)

CAS: 151-21-3
EINECS: 205-788-1
Reg.nr.: 01-2119489461-32-0000

sodium dodecyl sulphate
Eye Dam. 1, H318;
Acute Tox. 4, H302; Skin Irrit. 2, H315; Aquatic
Chronic 3, H412
Specific concentration limits: Eye Dam. 1; H318: C ≥ 20 %
Eye Irrit. 2; H319: 10 % ≤ C < 20 %

≥2.5-<5%

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· **General information** Involve doctor immediately.

· **After inhalation**

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

· **After skin contact**

Rinse with warm water.

Immediately wash with water and soap and rinse thoroughly.

· **After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing**

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

· **4.2 Most important symptoms and effects, both acute and delayed** Corneal damage

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents**

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **5.2 Special hazards arising from the substance or mixture** No further relevant information available.

· **5.3 Advice for firefighters**

· **Protective equipment:** Wear self-contained respiratory protective device.

· **Additional information** Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures** Not required

· **6.2 Environmental precautions:**

Do not allow product to reach sewage system or any water course.

(Contd. on page 4)

Safety data sheet according to UK REACH

Printing date 31.01.2026

Version number 7 (replaces version 6)

Revision: 13.09.2021

Trade name: PressurePro Foam Cleaner, acidic RM 59

(Contd. of page 3)

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid contact with eyes and skin.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Unsuitable material for receptacle: aluminium.

Store only in the original receptacle.

Information about storage in one common storage facility: Keep away from food, beverages and feed.

Further information about storage conditions: Protect from frost.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:
64-18-6 formic acid

WEL | Long-term value: 9.6 mg/m³, 5 ppm

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment
General protective and hygienic measures

Do not inhale gases / fumes / aerosols.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

(Contd. on page 5)

Safety data sheet according to UK REACH

Printing date 31.01.2026

Version number 7 (replaces version 6)

Revision: 13.09.2021

Trade name: PressurePro Foam Cleaner, acidic RM 59

(Contd. of page 4)

Avoid contact with the skin.

Avoid contact with the eyes and skin.

- **Respiratory protection:** Not necessary if room is well-ventilated.
- **Hand protection**



Protective gloves.

- **Material of gloves** Butyl rubber, BR
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **For the permanent contact gloves made of the following materials are suitable:**
* butyl rubber 0,7 mm, 480 min (EN 374)
- **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**
Nitrile rubber, NBR
- **Eye/face protection**



Tightly sealed goggles (EN 166)

- **Body protection:** Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

· Physical state	Liquid
· Colour:	Brown
· Odour:	Product specific
· Odour threshold:	Not determined
· Melting point/freezing point:	-4 °C
· Boiling point or initial boiling point and boiling range	100 °C
· Flammability	Not applicable
· Lower and upper explosion limit	
· Lower:	Not determined
· Upper:	Not determined
· Flash point:	Not applicable
· Auto-ignition temperature:	not applicable
· Decomposition temperature:	Not determined
· pH at 20 °C	2.1
· pH-value 1 %:	3-4
· Viscosity:	
· Kinematic viscosity	Not determined
· dynamic:	Not determined
· Solubility	
· Water:	Fully miscible
· Partition coefficient n-octanol/water (log value)	Not determined

(Contd. on page 6)

Safety data sheet according to UK REACH

Printing date 31.01.2026

Version number 7 (replaces version 6)

Revision: 13.09.2021

Trade name: PressurePro Foam Cleaner, acidic RM 59

(Contd. of page 5)

· Vapour pressure:	Not determined
· Density and/or relative density	
· Density at 20 °C:	1.065 g/cm ³
· Relative density	Not determined
· Vapour density	Not determined
· Relative gas density	Not determined
· Particle characteristics	Not applicable
· 9.2 Other information	
· Appearance:	
· Form:	Fluid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	
· Solids content:	16.9 %
· Change in condition	
· Evaporation rate	Not determined
· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	May be corrosive to metals.
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** corresponds to 10.3
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

(Contd. on page 7)

Safety data sheet according to UK REACH

Printing date 31.01.2026

Version number 7 (replaces version 6)

Revision: 13.09.2021

Trade name: PressurePro Foam Cleaner, acidic RM 59

(Contd. of page 6)

10.3 Possibility of hazardous reactions

Corrosive action on metals
 Reacts with alkali (lyes)
 Forms hydrogen in aqueous solution with metals
 Reacts with light alloys to form hydrogen

10.4 Conditions to avoid

No further relevant information available.

10.5 Incompatible materials:

Not suitable for surfaces that are attacked by acids (limestone, marble, brick, aluminium, etc.).

10.6 Hazardous decomposition products:

No dangerous decomposition products known

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

5949-29-1 citric acid ·H₂O

Oral	LD50	5400 mg/kg (mouse) (OECD 401)
------	------	-------------------------------

64-18-6 formic acid

Oral	LD50	730 mg/kg (Rat)
Inhalative	LC50/4 h	7.85 mg/l (Rat)

151-21-3 sodium dodecyl sulphate

Oral	LD50	1200 mg/kg (Rat)
------	------	------------------

Primary irritant effect:

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Causes serious eye damage.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

GB

(Contd. on page 8)

Safety data sheet according to UK REACH

Printing date 31.01.2026

Version number 7 (replaces version 6)

Revision: 13.09.2021

Trade name: PressurePro Foam Cleaner, acidic RM 59

(Contd. of page 7)

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

5949-29-1 citric acid ·H₂O

LC50/96 h	440-760 mg/l (Leuciscus idus) (OECD 203)
LC50/24 h	1535 mg/l (Daphnia magna)
LC50/168 h	425 mg/l (Scenedesmus quadricauda)
LC50/16 h	>10000 mg/l (Pseudomonas putida)
EC50/72 h	120 mg/l (Daphnia magna)

68515-73-1 alkyl polyglucoside

LC50/96 h	100.81 mg/l (Brachydanio rerio)
EC50/72 h	27.22 mg/l (Aquatic plants)
EC10/21 d	1.76 mg/l (Daphnia magna)

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable

vPvB: Not applicable

12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

COD-value: 260.000 mg/l

General notes:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

The product does not contain organically bounded halogens (AOX-free).

The product does not contain organic complexing agents.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

GB

(Contd. on page 9)

Safety data sheet according to UK REACH

Printing date 31.01.2026

Version number 7 (replaces version 6)

Revision: 13.09.2021

Trade name: PressurePro Foam Cleaner, acidic RM 59

(Contd. of page 8)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.
Must be specially treated adhering to official regulations.

· European waste catalogue

20 01 29*	detergents containing hazardous substances
-----------	--

· Uncleaned packaging:

· Recommendation:

Non contaminated packagings may be recycled.
Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents: Water, if necessary together with cleaning agents.

SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR, IMDG, IATA	UN3412
-------------------	--------

· 14.2 UN proper shipping name

· ADR	3412 FORMIC ACID
· IMDG, IATA	FORMIC ACID

· 14.3 Transport hazard class(es)

· ADR



· Class	8 (C3) Corrosive substances.
· Label	8

· IMDG, IATA



· Class	8 Corrosive substances.
· Label	8

· 14.4 Packing group

· ADR, IMDG, IATA	III
-------------------	-----

(Contd. on page 10)

Safety data sheet according to UK REACH

Printing date 31.01.2026

Version number 7 (replaces version 6)

Revision: 13.09.2021

Trade name: PressurePro Foam Cleaner, acidic RM 59

(Contd. of page 9)

· 14.5 Environmental hazards:

· **Marine pollutant:** No

· 14.6 Special precautions for user

· **EMS Number:** Warning: Corrosive substances.
F-A,S-B
· **Segregation groups** (SGG1) Acids, (SGG1) acids
· **Stowage Category** A
· **Stowage Code** SW2 Clear of living quarters.

· 14.7 Maritime transport in bulk according to IMO instruments

Not applicable

· Transport/Additional information:

· **ADR**
· **Limited quantities (LQ)** 5L
· **Excepted quantities (EQ)** Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml
· **Transport category** 3
· **Tunnel restriction code** E

· **IMDG**
· **Limited quantities (LQ)** 5L
· **Excepted quantities (EQ)** Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml

· **UN "Model Regulation":** UN 3412 FORMIC ACID, 8, III

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· **Directive 2012/18/EU**
· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· National regulations

· **Information about limitation of use:** Employment restrictions concerning juveniles must be observed.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
A product information sheet can be provided if requested.

(Contd. on page 11)

**Safety data sheet
according to UK REACH**

Printing date 31.01.2026

Version number 7 (replaces version 6)

Revision: 13.09.2021

Trade name: PressurePro Foam Cleaner, acidic RM 59*(Contd. of page 10)***· Relevant phrases**

- H226 Flammable liquid and vapour.
- H290 May be corrosive to metals.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H335 May cause respiratory irritation.
- H412 Harmful to aquatic life with long lasting effects.
- EUH071 Corrosive to the respiratory tract.

· Contact:

Regulatory Affairs
Tel.: +49-7195-14-0
productsafety.management.de@karcher.com

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
ATE: Acute toxicity estimate values
Met. Corr. 1: Corrosive to metals – Category 1
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 3: Acute toxicity – Category 3
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· * Data compared to the previous version altered.

· 0-011-670-0 RM 59/12 2-441