

Printing date 31.10.2025 Version number 7 (replaces version 6) Revision: 13.09.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: PressurePro Foam Cleaner, acidic RM 59
- · UFI: TRH0-V0CH-000J-TE3M
- 1.2 Relevant identified uses of the substance or mixture and uses advised against Restricted to professional users.



Keep away from children.

- · Application of the substance / the mixture High pressure cleaner
- 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG

Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Karcher Ltd

Unit 3 Redcow Retail Centre Robinhood Road, Ballymount Dublin 22 D22 PY03

Tel.: +353 1 409 7777

Internet: www.karcher.com

Further information obtainable from:

Regulatory Affairs
Tel.: +49-7195-14-0
productsafety.management.de@karcher.com

1.4 Emergency telephone number:

Emergency medical information: 8am-10pm (seven days) contact National Poisons Information Centre, Beaumont Hospital, Dublin 9 DOV2NO, Ireland.

Telephone Number: +353 (0)1 809 2166

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC Day or Night

NAME OF LOAD OF LOAD AND A COLUMN AND A COLUMN AND A COLUMN A COLU

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1-703-527-3887 (collect calls accepted)

---- 10



Printing date 31.10.2025 Version number 7 (replaces version 6) Revision: 13.09.2021

Trade name: PressurePro Foam Cleaner, acidic RM 59

(Contd. of page 1)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Met. Corr.1 H290 May be corrosive to metals.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS04

- · Signal word Danger
- · Hazard-determining components of labelling:

alkyl polyglucoside

formic acid

· Hazard statements

H290 May be corrosive to metals.

H315 Causes skin irritation.

H318 Causes serious eye damage.

· Precautionary statements

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P332+P313 If skin irritation occurs: Get medical advice/attention.

- 2.3 Other hazards
- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Determination of endocrine-disrupting properties Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
- Description:

Mixture consisting of the following components.

(Contd. on page 3)



Printing date 31.10.2025 Version number 7 (replaces version 6) Revision: 13.09.2021

Trade name: PressurePro Foam Cleaner, acidic RM 59

Cleaning agent	(Contd. of page
Dangerous components:		
CAS: 5949-29-1 EINECS: 201-069-1 Index number: 607-750-00-3 Reg.nr.: 01-2119457026-42-xxxx	citric acid ·H□O ♦ Eye Irrit. 2, H319; STOT SE 3, H335	≥5-<10%
CAS: 68515-73-1 NLP: 500-220-1 Reg.nr.: 01-2119488530-36	alkyl polyglucoside	5-10%
CAS: 64-18-6 EINECS: 200-579-1 Index number: 607-001-00-0	formic acid Acute Tox. 3, H331; Skin Corr. 1A, H314; Acute Tox. 4, H302 Specific concentration limits: Skin Corr. 1A; H314: C≥90 % Skin Corr. 1B; H314: 10 % ≤ C < 90 % Skin Irrit. 2; H315: 2 % ≤ C < 10 % Eye Irrit. 2; H319: 2 % ≤ C < 10 %	≥5-<10%
CAS: 151-21-3 EINECS: 205-788-1 Reg.nr.: 01-2119489461-32-0000	sodium dodecyl sulphate	≥2.5-<5%
Regulation (EC) No 648/2004	on detergents / Labelling for contents	
non-ionic surfactants	-	≥5 - <15%
anionic surfactants		<5%

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · General information Involve doctor immediately.
- · After inhalation

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

After skin contact

Rinse with warm water.

Immediately wash with water and soap and rinse thoroughly.

- · After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- · 4.2 Most important symptoms and effects, both acute and delayed Corneal damage
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.



Printing date 31.10.2025 Version number 7 (replaces version 6) Revision: 13.09.2021

Trade name: PressurePro Foam Cleaner, acidic RM 59

(Contd. of page 3)

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid contact with eyes and skin.

- · Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- Requirements to be met by storerooms and receptacles:

Unsuitable material for receptacle: aluminium.

Store only in the original receptacle.

· Information about storage in one common storage facility: Keep away from food, beverages and feed.

(Contd. on page 5)



Printing date 31.10.2025 Version number 7 (replaces version 6) Revision: 13.09.2021

Trade name: PressurePro Foam Cleaner, acidic RM 59

(Contd. of page 4)

- · Further information about storage conditions: Protect from frost.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

64-18-6 formic acid

OEL Long-term value: 9 mg/m³, 5 ppm **IOELV**

- 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures

Do not inhale gases / fumes / aerosols.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection



Protective gloves.

- · Material of gloves Butyl rubber, BR
- · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- For the permanent contact gloves made of the following materials are suitable:
- * butyl rubber 0,7 mm, 480 min (EN 374)
- For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable: Nitrile rubber, NBR
- · Eye/face protection



Tightly sealed goggles (EN 166)

· Body protection: Protective work clothing.

(Contd. on page 6)



Printing date 31.10.2025 Version number 7 (replaces version 6) Revision: 13.09.2021

Trade name: PressurePro Foam Cleaner, acidic RM 59

(Contd. of page 5)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical stateColour:Brown

Odour: Product specificOdour threshold: Not determined.

Melting point/freezing point:
 Boiling point or initial boiling point and boiling range
 4 °C
 100 °C

• Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
 Upper: Not determined.
 Flash point: Not applicable
 Auto-ignition temperature: not applicable
 Decomposition temperature: Not determined.

• pH at 20 °C 2.1 • pH-value 1 %: 3-4

· Viscosity:

Kinematic viscositydynamic:Not determined.Not determined.

· Solubility

• Water: Fully miscible
 • Partition coefficient n-octanol/water (log value) Not determined.
 • Vapour pressure: Not determined.

Density and/or relative density

Density at 20 °C:
 Relative density
 Vapour density
 Relative gas density
 Particle characteristics
 1.065 g/cm³
 Not determined.
 Not determined.
 Not applicable.

9.2 Other information

· Appearance:

· Form: Fluid

Important information on protection of health and environment, and on safety.

· **Ignition temperature:** Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

Solvent content:

· Solids content: 16.9 %

· Change in condition

· Evaporation rate Not determined.

Information with regard to physical hazard classes

ExplosivesFlammable gasesAerosolsVoid

(Contd. on page 7)



Printing date 31.10.2025 Version number 7 (replaces version 6) Revision: 13.09.2021

Trade name: PressurePro Foam Cleaner, acidic RM 59

		(Contd. of page 6)
· Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
· Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flammable gase	s	
in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	May be corrosive to metals.	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity corresponds to 10.3
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions

Corrosive action on metals

Reacts with alkali (Ives)

Forms hydrogen in aqueous solution with metals

Reacts with light alloys to form hydrogen

- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials:

Not suitable for surfaces that are attacked by acids (limestone, marble, brick, aluminium, etc.).

· 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	· LD/LC50 values relevant for classification:		
5949-29-	5949-29-1 citric acid ·H □O		
Oral	LD50	5400 mg/kg (mouse) (OECD 401)	
64-18-6 f	64-18-6 formic acid		
Oral	LD50	730 mg/kg (Rat)	

(Contd. on page 8)



Printing date 31.10.2025 Version number 7 (replaces version 6) Revision: 13.09.2021

Trade name: PressurePro Foam Cleaner, acidic RM 59

		(Co	ontd. of page 7)
Inhalative	LC50/4 h	7.85 mg/l (Rat)	
151-21-3	sodium do	odecyl sulphate	
Oral	LD50	1200 mg/kg (Rat)	

- · Primary irritant effect:
- Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic to	· Aquatic toxicity:	
5949-29-1 c	5949-29-1 citric acid ·H □O	
LC50/96 h	440-760 mg/l (Leuciscus idus) (OECD 203)	
LC50/24 h	1535 mg/l (Daphnia magna)	
LC50/168 h	425 mg/l (Scenedesmus quadricauda)	
LC50/16 h	>10000 mg/l (Pseudomonas putida)	
EC50/72 h	120 mg/l (Daphnia magna)	
68515-73-1	68515-73-1 alkyl polyglucoside	
LC50/96 h	100.81 mg/l (Brachydanio rerio)	
EC50/72 h	27.22 mg/l (Aquatic plants)	
EC10/21 d	1.76 mg/l (Daphnia magna)	

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.

(Contd. on page 9)



Printing date 31.10.2025 Version number 7 (replaces version 6) Revision: 13.09.2021

Trade name: PressurePro Foam Cleaner, acidic RM 59

(Contd. of page 8)

- 12.7 Other adverse effects
- Additional ecological information:
- · COD-value: 260.000 mg/l
- · General notes:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

The product does not contain organically bounded halogens (AOX-free).

The product does not contain organic complexing agents.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

· European waste catalogue

20 01 29* detergents containing hazardous substances

- **Uncleaned packaging:**
- · Recommendation:

Non contaminated packagings may be recycled.

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents: Water, if necessary together with cleaning agents.

SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR, IMDG, IATA UN3412

· 14.2 UN proper shipping name

· **ADR** 3412 FORMIC ACID

· IMDG, IATA FORMIC ACID

(Contd. on page 10)



Printing date 31.10.2025 Version number 7 (replaces version 6) Revision: 13.09.2021

Trade name: PressurePro Foam Cleaner, acidic RM 59

(Contd. of page 9)

· 14.3 Transport hazard class(es)

· ADR



· Class 8 (C3) Corrosive substances.

· Label 8

· IMDG, IATA



· Class 8 Corrosive substances.

· Label

· 14.4 Packing group

· ADR, IMDG, IATA

14.5 Environmental hazards:

· Marine pollutant: No

• 14.6 Special precautions for user Warning: Corrosive substances.

EMS Number: F-A,S-B

· Segregation groups (SGG1) Acids, (SGG1) acids

· Stowage Category A

Stowage Code SW2 Clear of living quarters.

14.7 Maritime transport in bulk according to IMO

instruments Not applicable.

Transport/Additional information:

· ADR

· Limited quantities (LQ) 5L

· Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

· Transport category

Tunnel restriction code E

· IMDG

· Limited quantities (LQ) 5L

Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

(Contd. on page 11)



Printing date 31.10.2025 Version number 7 (replaces version 6) Revision: 13.09.2021

Trade name: PressurePro Foam Cleaner, acidic RM 59

(Contd. of page 10)

UN "Model Regulation":

UN 3412 FORMIC ACID, 8, III

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- National regulations
- · Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

A product information sheet can be provided if requested.

· Relevant phrases

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

· Classification according to Regulation (EC) No 1272/2008	
Corrosive to metals	On basis of test data
	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· Contact:

Regulatory Affairs Tel.: +49-7195-14-0

productsafety.management.de@karcher.com

· Version number of previous version: 6

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

(Contd. on page 12)



Printing date 31.10.2025 Version number 7 (replaces version 6) Revision: 13.09.2021

Trade name: PressurePro Foam Cleaner, acidic RM 59

(Contd. of page 11)

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Met. Corr.1: Corrosive to metals – Category 1 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

* Data compared to the previous version altered.

0.011-715 RM 59/12 1453

0·011-670·0 RM 59/12 2·441

IE -