

Printing date 18.05.2024 Version number 6 (replaces version 5) Revision: 21.03.2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: CarpetPro Cleaner, quick-drying RM 767 OA
- 1.2 Relevant identified uses of the substance or mixture and uses advised against Restricted to professional users.
- · Application of the substance / the mixture Spray extraction cleaner
- 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

#### Alfred Kärcher SE & Co. KG

Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

#### **Karcher Ltd**

Unit 3 Redcow Retail Centre Robinhood Road, Ballymount Dublin 22 D22 PY03

Tel.: +353 1 409 7777

Internet: www.karcher.com

### · Further information obtainable from:

Regulatory Affairs
Tel.: +49-7195-14-0
productsafety.management.de@karcher.com

#### 1.4 Emergency telephone number:

Emergency medical information: 8am-10pm (seven days) contact National Poisons Information Centre, Beaumont

Hospital, Dublin 9 DOV2NO, Ireland. Telephone Number: +353 (0)1 809 2166

For Hazardous Materials [or Dangerous Goods] Incidents

Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

## **SECTION 2: Hazards identification**

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)



Printing date 18.05.2024 Version number 6 (replaces version 5) Revision: 21.03.2024

Trade name: CarpetPro Cleaner, quick-drying RM 767 OA

(Contd. of page 1)

- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT:

541-02-6 decamethylcyclopentasiloxane

· vPvB:

541-02-6 decamethylcyclopentasiloxane

Determination of endocrine-disrupting properties

Not applicable.

541-02-6 decamethylcyclopentasiloxane

List II

## **SECTION 3: Composition/information on ingredients**

3.2 Mixtures

· Description: Cleaning agent

Dangerous components:		
CAS: 57-55-6 EINECS: 200-338-0 Reg.nr.: 01-2119456809-23-xxxx	Propylene glycol substance with a Community workplace exposure limit	≥1-≤5%
CAS: 541-02-6 EINECS: 208-764-9 Reg.nr.: 01-2119511367-43-0000	decamethylcyclopentasiloxane Non-classified vPvB substance. Non-classified PBT substance. Substance identified as having endocrine disrupting properties (II).	≥0.1-≤1%
CAS: 68424-85-1 EINECS: 270-325-2 Reg.nr.: 01-2119965180-41	Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-C16)) Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); Acute Tox. 4, H302	≥0.25-<1%
CAS: 134737-05-6	Diquarternary polydimethylsiloxane  Aquatic Acute 1, H400; Aquatic Chronic 2, H411	≥0.25-<1%

## ·SVHC

541-02-6 decamethylcyclopentasiloxane

•	Reg	ulati	on	(EC	) No	648/2	2004	on	deterg	ents /	Labe	lling	for	con	tents

cationic surfactants	<5%
perfumes	

• Additional information For the wording of the listed hazard phrases refer to section 16.



Printing date 18.05.2024 Version number 6 (replaces version 5) Revision: 21.03.2024

Trade name: CarpetPro Cleaner, quick-drying RM 767 OA

(Contd. of page 2)

#### **SECTION 4: First aid measures**

- 4.1 Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eye contact Rinse opened eye for several minutes under running water.
- After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

## **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### **SECTION 6: Accidental release measures**

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders). Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

--- 1



Printing date 18.05.2024 Version number 6 (replaces version 5) Revision: 21.03.2024

Trade name: CarpetPro Cleaner, quick-drying RM 767 OA

(Contd. of page 3)

# **SECTION 7: Handling and storage**

## · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Keep away from food, beverages and feed.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

· 8.1 Control parameters

6.1 Control pa	6.1 Control parameters								
· Ingredients w	Ingredients with limit values that require monitoring at the workplace:								
	57-55-6 Propylene glycol								
	OEL Long-term value: 470* 10** mg/m³, 150* ppm								
*total vapo	our and	particulates **particulates							
· DNELs									
57-55-6 Propyle									
Oral	DNEL	85 mg/kg×d (consumer)							
Dermal	DNEL	213 mg/kg×d (consumer)							
Inhalative	DNEL	168 mg/m3 (employee)							
		50 mg/m3 (consumer)							
68424-85-1 Alky		-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-C16))							
Dermal		5.7 mg/kg×d (employee)							
Inhalative	DNEL	3.96 mg/m3 (employee)							
1.64 mg/m3 (consumer)									
Irritation of skin	DNEL	3.4 mg/cm2 (consumer)							
· PNECs									
57-55-6 Propyle	ene gly	col							
PNEC	26 mg	g/l (marine water)							
	2000	mg/l (STP)							
541-02-6 decan	nethylo	yclopentasiloxane							
PNEC	10 mg/l (STP) (Assessment factor: 100)								
PNEC sediment	11 mg	g/kg (freshwater) (Assessment factor: 10)							
	1.1 mg/kg (marine water) (Assessment factor: 100)								
PNEC soil	2.54 r	mg/kg (Assessment factor: 50)							
		(Contd. on page 5)							

(Contd. on page 5)



Printing date 18.05.2024 Version number 6 (replaces version 5) Revision: 21.03.2024

Trade name: CarpetPro Cleaner, quick-drying RM 767 OA

	(Contd. of page 4)
PNEC aqua	0.0012 mg/l (freshwater) (Assessment factor: 10)
	0.00012 mg/l (marine water) (Assessment factor: 100)
68424-85-1 Alky	(C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-C16))
PNEC	0.001 mg/l (freshwater)
	0.001 mg/l (marine water)
	0.4 mg/l (STP)
PNEC sediment	12.27 mg/kg (freshwater)
	13.09 mg/kg (marine water)
PNEC soil	7 mg/kg (soil)

- 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures Wash hands before breaks and at the end of work.
- · Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection Not required.
- Material of gloves Not required.
- · Penetration time of glove material Not required.
- · Eye/face protection Not required.

## **SECTION 9: Physical and chemical properties**

- 9.1 Information on basic physical and chemical properties
- General Information

Physical stateColour:Odour:Eight yellow fresh

· Odour threshold: Not determined.

Melting point/freezing point:
 Boiling point or initial boiling point and boiling range
 100 °C

Flammability Not applicable.

Lower and upper explosion limit

Lower: Not determined.
 Upper: Not determined.
 Flash point: Not applicable
 Auto-ignition temperature: not applicable
 Decomposition temperature: Not determined.

• pH at 20 °C 6-8 • pH-value 1 %: 6-8

· Viscosity:

Kinematic viscosity
Not determined.

dynamic at 20 °C: 3 mPas

· Solubility

Water: Fully miscible
 Partition coefficient n-octanol/water (log value)
 Not determined.

(Contd. on page 6)



Printing date 18.05.2024 Version number 6 (replaces version 5) Revision: 21.03.2024

Trade name: CarpetPro Cleaner, quick-drying RM 767 OA

	(Contd. of page
· Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	1.023 g/cm <sup>3</sup>
Relative density	Not determined.
Vapour density	Not determined.
· Relative gas density	Not determined.
· Particle characteristics	Not applicable.
9.2 Other information	
· Appearance:	
· Form:	Fluid
Important information on protection of health and	
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	Troudet account procent an expression nazara.
· Evaporation rate	Not determined.
<ul> <li>Information with regard to physical hazard classes</li> <li>Explosives</li> </ul>	<b>S</b> Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases	
in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

# **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity corresponds to 10.3
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known

(Contd. on page 7)



Printing date 18.05.2024 Version number 6 (replaces version 5) Revision: 21.03.2024

Trade name: CarpetPro Cleaner, quick-drying RM 767 OA

(Contd. of page 6)

- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

## **SECTION 11: Toxicological information**

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

	Toute to her by based on available data, the diagonisation shield are not met.							
· LD/LC50	LD/LC50 values relevant for classification:							
57-55-6 P	57-55-6 Propylene glycol							
Oral	Oral   LD50   22000 mg/kg (Rat)							
541-02-6	541-02-6 decamethylcyclopentasiloxane							
Dermal   LD50   >15000 mg/kg (Rat)								
Inhalative	Inhalative LC50 >5000 mg/kg (Rat)							
68424-85-	1 Alky	(C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-C16))						
Oral	LD50	344 mg/kg (Rat)						
Dermal	LD50	3340 mg/kg (Rabbit)						
134737-0	134737-05-6 Diquarternary polydimethylsiloxane							
Oral	LD50	>5000 mg/kg (Rat)						

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards

	Endocrine disrupting properties								
541-02-6 decamethylcyclopentasiloxane									
	540-97-6	Dodecamethylcyclohexasiloxane	List II						
	556-67-2	octamethylcyclotetrasiloxane	List II; III						

(Contd. on page 8)



Printing date 18.05.2024 Version number 6 (replaces version 5) Revision: 21.03.2024

Trade name: CarpetPro Cleaner, quick-drying RM 767 OA

(Contd. of page 7)

# **SECTION 12: Ecological information**

· 12.1 Toxicity

Aquatic toxicit	· Aquatic toxicity:						
57-55-6 Propyler	57-55-6 Propylene glycol						
LC50/96 h 40613 mg/l (Oncorhynchus mykiss)							
68424-85-1 Alkyl	68424-85-1 Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-C16))						
LC50/96 h	0.28 mg/l (Pimephales promelas) (US-EPA)						
	0.515 mg/l (Lepomis macrochirus)						
IC50/72 h	0.03 mg/l (Algae)						
EC50/48 h	0.016 mg/l (Daphnia magna)						
EC50/30 min 11 mg/l (activated sludge) (OECD 209)							
ErC50/96h	0.049 mg/l (Pseudokirchneriella subcapitata)						
NOEC	0.032 mg/l (Pimephales promelas)						
	0.0042 mg/l (Daphnia magna)						
	0.456 mg/l (Lepomis macrochirus)						
134737-05-6 Diq	uarternary polydimethylsiloxane						
LC50/96 h 30.8 mg/l (Danio rerio) (OECD 203)							
EC50/48 h	>200 mg/l (Daphnia magna) (OECD 202)						
ErC50/72h	0.49 mg/l (Pseudokirchneriella subcapitata) (OECD 201)						
NOEC (dynamic)	NOEC (dynamic) 0.313 mg/l /(72 h) (Pseudokirchneriella subcapitata) (OECD 201)						

· 12.2 Persistence and degradability No further relevant information available.

Degree of e	Degree of elimination:						
541-02-6 ded	541-02-6 decamethylcyclopentasiloxane						
OECD 310	0.14 % (28 d)						
68424-85-1 A	68424-85-1 Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-C16))						
OECD 301D	63 % (28 d)						

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment

· PBT:							
541-02-6 decamethylcyclopentasilo	541-02-6 decamethylcyclopentasiloxane						
· vPvB:							
541-02-6 decamethylcyclopentasilo	kane						

· 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

(Contd. on page 9)



Printing date 18.05.2024 Version number 6 (replaces version 5) Revision: 21.03.2024

Trade name: CarpetPro Cleaner, quick-drying RM 767 OA

(Contd. of page 8)

- 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

The product does not contain organically bounded halogens (AOX-free).

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

The product does not contain organic complexing agents.

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

## **SECTION 13: Disposal considerations**

- 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

European waste catalogue

20 01 29\* detergents containing hazardous substances

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents: Water, if necessary together with cleaning agents.

# SECTION 14: Transport information 14.1 UN number or ID number ADR, IMDG, IATA Void 14.2 UN proper shipping name ADR, ADN, IMDG, IATA Void 14.3 Transport hazard class(es) ADR, ADN, IMDG, IATA Class Void 14.4 Packing group ADR, IMDG, IATA Void

(Contd. on page 10)



Printing date 18.05.2024 Version number 6 (replaces version 5) Revision: 21.03.2024

Trade name: CarpetPro Cleaner, quick-drying RM 767 OA

		(Contd. of page 9)
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk according	j to IMO	
instruments	Not applicable.	
· UN "Model Regulation":	Void	

## **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- \* REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- National regulations
- · Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

541-02-6 decamethylcyclopentasiloxane

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

A product information sheet can be provided if requested.

#### Relevant phrases

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

## · Classification according to Regulation (EC) No 1272/2008

Hazardous to the aquatic environment - long-term (chronic) aquatic hazard

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

#### · Contact:

Regulatory Affairs Tel.: +49-7195-14-0

productsafety.management.de@karcher.com

(Contd. on page 11)



Printing date 18.05.2024 Version number 6 (replaces version 5) Revision: 21.03.2024

Trade name: CarpetPro Cleaner, quick-drying RM 767 OA

(Contd. of page 10)

## · Version number of previous version: 5

#### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard — Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard — Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard — Category 3

\* Data compared to the previous version altered.

· 0·011-960·0 RM 767/5 2·701

F.